

Sail Manual

Kathryn E Gray, Gabriel Kerneis, Peter Sewell

March 3, 2016

Contents

1	Introduction	2
2	Tips for Writing Sail specifications	2
3	Sail syntax	3
4	Sail primitive types and functions	14
5	Sail type system	18
5.1	Internal type syntax	18
5.2	Type relations	24
6	Sail operational semantics {TODO}	49

1 Introduction

This is a manual describing the Sail specification language, its common library, compiler, interpreter and type system. However it is currently in early stages of being written, so questions to the developers are highly encouraged.

2 Tips for Writing Sail specifications

This section attempts to offer advice for writing Sail specifications that will work well with the Sail executable interpreter and compilers.

These tips use idiomatic Sail code; the Sail syntax is formally defined in following section.

Some tips might also be advice for good ways to specify instructions; this will come from a combination of users and Sail developers.

- Declare memory access functions as one read, one write for each kind of access.

For basic user-mode instructions, there should be the need for only one memory read and one memory write function. These should each be declared using `val extern` and should have effect `wmem` and `rmem` accordingly.

Commonly, a memory read function will take as parameters a size (an number below 32) and an address and return a bit vector with length $(8 * \text{size})$. The sequential and concurrent interpreters both only read and write memory as a factor of bytes.

- Declare a default vector order

Vectors can be either decreasing or increasing, i.e. if we have a vector a with elements $[1,2,3]$ then in an increasing specification the 1 is accessed with `a[0]` but with `a[2]` in a decreasing system. Early in your specification, it is beneficial to clarity to say `default Ord inc` or `default Ord dec`.

- Vectors don't necessarily begin indexing at 0 or n-1

Without any additional specification, a vector will begin indexing at 0 in an increasing spec and n-1 in a decreasing specification. A type declaration can reset this first position to any number.

Importantly, taking a slice of a vector does not reset the indexes. So if `a = [1,2,3,4]` in an increasing system the slice `a[2 ..3]` generates the vector `[3,4]` and the 3 is indexed at 2 in either vector.

- Be precise in numeric types.

While Sail includes very wide types like `int` and `nat`, consider that for bounds checking, numeric operations, and and clear understanding, these really are unbounded quantities. If you know that a number in the specification will range only between 0 and 32, 0 and 4, -32 to 32, it is better to use a specific range type such as `[[32]]`.

Similarly, if you don't know the range precisely, it may also be best to remain polymorphic and let Sail's type resolution work out bounds in a particular use rather than removing all bounds; to do this, use `[:'n:]` to say that it will polymorphically take some number.

- Use bit vectors for registers.

Sail the language will readily allow a register to store a value of any type. However, the Sail executable interpreter expects that it is simulating a uni-processor machine where all registers are bit vectors.

A vector of length one, such as a can read the element of a either with \mathbf{a} or $\mathbf{a}[0]$.

- Have functions named `decode` and `execute` to evaluate instructions.

The sail interpreter is hard-wired to look for functions with these names.

3 Sail syntax

l	::=		Source location
$annot$::=		
id	::=		Identifier
		x	
		(deinfix x)	remove infix status
		bool	M Built in type identifiers
		bit	M
		unit	M
		nat	M
		string	M
		range	M
		atom	M
		vector	M
		list	M
		set	M
		reg	M

		<i>to_num</i>	M	Built in function identifiers
		<i>to_vec</i>	M	
<i>kid</i>	::=			variables with kind, ticked to differntiate from program variables
			' <i>x</i>	
<i>base_kind</i>	::=			base kind
			Type	kind of types
			Nat	kind of natural number size expressions
			Order	kind of vector order specifications
			Effect	kind of effect sets
<i>kind</i>	::=			kinds
			<i>base_kind</i> ₁ → ... → <i>base_kind</i> _{<i>n</i>}	
<i>nexp</i>	::=			expression of kind Nat, for vector sizes and origins
			<i>id</i>	identifier, bound by def Nat x = nexp
			<i>kid</i>	variable
			<i>num</i>	constant
			<i>nexp</i> ₁ * <i>nexp</i> ₂	product
			<i>nexp</i> ₁ + <i>nexp</i> ₂	sum
			<i>nexp</i> ₁ - <i>nexp</i> ₂	subtraction
			2 * * <i>nexp</i>	exponential
			neg <i>nexp</i>	For internal use
			(<i>nexp</i>)	S
<i>order</i>	::=			vector order specifications, of kind Order
			<i>kid</i>	variable
			inc	increasing (little-endian)
			dec	decreasing (big-endian)

		(<i>order</i>)	S	
<i>base_effect</i>	::=			effect
		rreg		read register
		wreg		write register
		rmem		read memory
		wmem		write memory
		wmea		signal effective address for writing memory
		wmv		write memory, sending only value
		barr		memory barrier
		depend		dynamic footprint
		undef		undefined-instruction exception
		unspec		unspecified values
		nondet		nondeterminism from intra-instruction parallelism
		escape		Tracking of expressions and functions that might call exit
		lset		Local mutation happend; not user-writable
<i>effect</i>	::=			effect set, of kind Effects
		<i>kid</i>		
		{ <i>base_effect</i> ₁ , .., <i>base_effect</i> _{<i>n</i>} }		effect set
		pure	M	sugar for empty effect set
		<i>effect</i> ₁ ⊔ .. ⊔ <i>effect</i> _{<i>n</i>}	M	meta operation for combining sets of effects
<i>typ</i>	::=			Type expressions, of kind Type
		-		Unspecified type
		<i>id</i>		Defined type
		<i>kid</i>		Type variable
		<i>typ</i> ₁ → <i>typ</i> ₂ effect <i>effect</i>		Function type (first-order only in user code)
		(<i>typ</i> ₁ , ..., <i>typ</i> _{<i>n</i>})		Tuple type
		<i>id</i> ⟨ <i>typ_arg</i> ₁ , .., <i>typ_arg</i> _{<i>n</i>} ⟩		type constructor application

		(<i>typ</i>)	S	
		[<i>nexp</i>]	S	sugar for <code>range<0, nexp></code>
		[<i>nexp</i> : <i>nexp'</i>]	S	sugar for <code>range< nexp, nexp'></code>
		[: <i>nexp</i> :]	S	sugar for <code>atom<nexp></code> which is special case of <code>range<nexp,nexp></code>
		<i>typ</i> [<i>nexp</i>]	S	sugar for vector indexed by [<i>nexp</i>]
		<i>typ</i> [<i>nexp</i> : <i>nexp'</i>]	S	sugar for vector indexed by [<i>nexp</i> .. <i>nexp'</i>]
		<i>typ</i> [<i>nexp</i> <: <i>nexp'</i>]	S	sugar for increasing vector indexed as above
		<i>typ</i> [<i>nexp</i> >: <i>nexp'</i>]	S	sugar for decreasing vector indexed as above
<i>typ_arg</i>	::=			Type constructor arguments of all kinds
		<i>nexp</i>		
		<i>typ</i>		
		<i>order</i>		
		<i>effect</i>		
<i>n_constraint</i>	::=			constraint over kind Nat
		<i>nexp</i> = <i>nexp'</i>		
		<i>nexp</i> ≥ <i>nexp'</i>		
		<i>nexp</i> ≤ <i>nexp'</i>		
		<i>kid</i> IN { <i>num</i> ₁ , ..., <i>num</i> _{<i>n</i>} }		
<i>kinded_id</i>	::=			optionally kind-annotated identifier
		<i>kid</i>		identifier
		<i>kind kid</i>		kind-annotated variable
<i>quant_item</i>	::=			Either a kinded identifier or a <i>nexp</i> constraint for a <i>typquant</i>
		<i>kinded_id</i>		An optionally kinded identifier
		<i>n_constraint</i>		A constraint for this type
<i>typquant</i>	::=			type quantifiers and constraints

		forall <i>quant_item</i> ₁ , ..., <i>quant_item</i> _{<i>n</i>} .	
		sugar, omitting quantifier and constraints	
<i>typschm</i>	::=	type scheme	
		<i>typquant typ</i>	
<i>name_scm_opt</i>	::=	Optional variable-naming-scheme specification for variables of defined type	
		[name = <i>regepx</i>]	
<i>type_def</i>	::=	Type definition body	
		typedef <i>id name_scm_opt</i> = <i>typschm</i>	type abbreviation
		typedef <i>id name_scm_opt</i> = const struct <i>typquant</i> { <i>typ</i> ₁ <i>id</i> ₁ ; ...; <i>typ</i> _{<i>n</i>} <i>id</i> _{<i>n</i>} ;?}	struct type definition
		typedef <i>id name_scm_opt</i> = const union <i>typquant</i> { <i>type_union</i> ₁ ; ...; <i>type_union</i> _{<i>n</i>} ;?}	union type definition
		typedef <i>id name_scm_opt</i> = enumerate { <i>id</i> ₁ ; ...; <i>id</i> _{<i>n</i>} ;?}	enumeration type definition
		typedef <i>id</i> = register bits [<i>nexp</i> : <i>nexp'</i>]{ <i>index_range</i> ₁ : <i>id</i> ₁ ; ...; <i>index_range</i> _{<i>n</i>} : <i>id</i> _{<i>n</i>} }	register mutable bitfield type definition
<i>type_union</i>	::=	Type union constructors	
		<i>id</i>	
		<i>typ id</i>	
<i>index_range</i>	::=	index specification, for bitfields in register types	
		<i>num</i>	single index
		<i>num</i> ₁ .. <i>num</i> ₂	index range

		<i>index_range</i> ₁ , <i>index_range</i> ₂	concatenation of index ranges
<i>lit</i>	::=		Literal constant
		()	() : unit
		bitzero	bitzero : bit
		bitone	bitone : bit
		true	true : bool
		false	false : bool
		<i>num</i>	natural number constant
		<i>hex</i>	bit vector constant, C-style
		<i>bin</i>	bit vector constant, C-style
		undefined	constant representing undefined values
		<i>string</i>	string constant
<i>;</i> [?]	::=		Optional semi-colon
		;	
<i>pat</i>	::=		Pattern
		<i>lit</i>	literal constant pattern
		-	wildcard
		(<i>pat</i> as <i>id</i>)	named pattern
		(<i>typ</i>) <i>pat</i>	typed pattern
		<i>id</i>	identifier
		<i>id</i> (<i>pat</i> ₁ , .., <i>pat</i> _{<i>n</i>})	union constructor pattern
		{ <i>fpat</i> ₁ ; ... ; <i>fpat</i> _{<i>n</i>} ; [?] }	struct pattern
		[<i>pat</i> ₁ , .., <i>pat</i> _{<i>n</i>}]	vector pattern
		[<i>num</i> ₁ = <i>pat</i> ₁ , .., <i>num</i> _{<i>n</i>} = <i>pat</i> _{<i>n</i>}]	vector pattern (with explicit indices)
		<i>pat</i> ₁ : ... : <i>pat</i> _{<i>n</i>}	concatenated vector pattern
		(<i>pat</i> ₁ , ..., <i>pat</i> _{<i>n</i>})	tuple pattern

		$[[pat_1, \dots, pat_n]]$		list pattern
		(pat)	S	
<i>fpat</i>	::=			Field pattern
		$id = pat$		
<i>exp</i>	::=			Expression
		$\{exp_1; \dots; exp_n\}$		block
		nondet $\{exp_1; \dots; exp_n\}$		nondeterministic block, expressions evaluate in an unspecified order, or concurrently
		<i>id</i>		identifier
		<i>lit</i>		literal constant
		$(typ)exp$		cast
		$id(exp_1, \dots, exp_n)$		function application
		$id exp$	S	No extra parens needed when exp is a tuple
		$exp_1 id exp_2$		infix function application
		(exp_1, \dots, exp_n)		tuple
		if exp_1 then exp_2 else exp_3		conditional
		if exp_1 then exp_2	S	
		foreach $(id$ from exp_1 to exp_2 by exp_3 in order) exp_4		loop
		foreach $(id$ from exp_1 to exp_2 by exp_3) exp_4	S	
		foreach $(id$ from exp_1 to exp_2) exp_3	S	
		foreach $(id$ from exp_1 downto exp_2 by exp_3) exp_4	S	
		foreach $(id$ from exp_1 downto exp_2) exp_3	S	
		$[exp_1, \dots, exp_n]$		vector (indexed from 0)
		$[num_1 = exp_1, \dots, num_n = exp_n opt_default]$		vector (indexed consecutively)
		$exp[exp']$		vector access
		$exp[exp_1..exp_2]$		subvector extraction
		$[exp$ with $exp_1 = exp_2]$		vector functional update
		$[exp$ with $exp_1 : exp_2 = exp_3]$		vector subrange update (with vector)
		$exp : exp_2$		vector concatenation

	[[<i>exp</i> ₁ , .., <i>exp</i> _{<i>n</i>}]]	list
	<i>exp</i> ₁ :: <i>exp</i> ₂	cons
	{ <i>fexp</i> s}	struct
	{ <i>exp</i> with <i>fexp</i> s}	functional update of struct
	<i>exp</i> . <i>id</i>	field projection from struct
	switch <i>exp</i> { case <i>pexp</i> ₁ ... case <i>pexp</i> _{<i>n</i>} }	pattern matching
	let <i>bind</i> in <i>exp</i>	let expression
	<i>lexp</i> := <i>exp</i>	imperative assignment
	exit <i>exp</i>	expression to halt all current execution, potentially calling a system, trap, or interrupt handler with <i>exp</i>
	assert (<i>exp</i> , <i>exp'</i>)	expression to halt with error, when the first expression is false, reporting the optional string as an error
	(<i>exp</i>)	S
	(<i>annot</i>) <i>exp</i>	This is an internal cast, generated during type checking that will resolve into a syntactic cast after
	<i>annot</i>	This is an internal use for passing <i>nexp</i> information to library functions, postponed for constraint solving
	<i>annot</i> , <i>annot'</i>	This is like the above but the user has specified an implicit parameter for the current function
	comment <i>string</i>	For generated unstructured comments
	comment <i>exp</i>	For generated structured comments
	let <i>lexp</i> = <i>exp</i> in <i>exp'</i>	This is an internal node for compilation that demonstrates the scope of a local mutable variable
	let <i>pat</i> = <i>exp</i> in <i>exp'</i>	This is an internal node, used to distinguished some introduced lets during processing from original ones
	return (<i>exp</i>)	For internal use to embed into monad definition
<i>lexp</i>	::=	lvalue expression
	<i>id</i>	identifier
	<i>id</i> (<i>exp</i> ₁ , .., <i>exp</i> _{<i>n</i>})	memory write via function call
	<i>id</i> <i>exp</i>	S
	(<i>typ</i>) <i>id</i>	
	<i>lexp</i> [<i>exp</i>]	vector element
	<i>lexp</i> [<i>exp</i> ₁ .. <i>exp</i> ₂]	subvector
	<i>lexp</i> . <i>id</i>	struct field
<i>fexp</i>	::=	Field-expression

		$id = exp$	
$fexprs$::=		Field-expression list
		$fexp_1; \dots; fexp_n; ?$	
$opt_default$::=		Optional default value for indexed vectors, to define a default value for any unspecified positions in a sparse map
		$; \mathbf{default} = exp$	
$pexp$::=		Pattern match
		$pat \rightarrow exp$	
$tannot_opt$::=		Optional type annotation for functions
		$typquant\ typ$	
rec_opt	::=		Optional recursive annotation for functions
		non-recursive	
		rec	recursive
$effect_opt$::=		Optional effect annotation for functions
		sugar for empty effect set	
		effect $effect$	
$funcl$::=		Function clause
		$id\ pat = exp$	
$fundef$::=		Function definition
		function $rec_opt\ tannot_opt\ effect_opt\ funcl_1$ and ... and $funcl_n$	

<i>letbind</i>	<pre> ::= let <i>typschm pat = exp</i> let <i>pat = exp</i> </pre>	<p>Let binding</p> <p>value binding, explicit type (<i>pat</i> must be total)</p> <p>value binding, implicit type (<i>pat</i> must be total)</p>
<i>val_spec</i>	<pre> ::= val <i>typschm id</i> val extern <i>typschm id</i> val extern <i>typschm id = string</i> </pre>	<p>Value type specification</p> <p>Specify the type and id of a function from Lem, where the string must provide an explicit path to the required file.</p>
<i>default_spec</i>	<pre> ::= default <i>base_kind kid</i> default Order <i>order</i> default <i>typschm id</i> </pre>	<p>Default kinding or typing assumption</p>
<i>scattered_def</i>	<pre> ::= scattered function <i>rec_opt tannot_opt effect_opt id</i> function clause <i>funcl</i> scattered typedef <i>id name_scm_opt = const union typquant</i> union <i>id member type_union</i> end <i>id</i> </pre>	<p>Function and type union definitions that can be spread across a file. Each one must end in id</p> <p>scattered function definition header</p> <p>scattered function definition clause</p> <p>scattered union definition header</p> <p>scattered union definition member</p> <p>scattered definition end</p>
<i>reg_id</i>	<pre> ::= <i>id</i> </pre>	
<i>alias_spec</i>	<pre> ::= <i>reg_id.id</i> <i>reg_id[exp]</i> <i>reg_id[exp..exp']</i> </pre>	<p>Register alias expression forms. Other than where noted, each id must refer to an unaliased register of type <i>val</i></p>

		<i>reg_id</i> : <i>reg_id'</i>	
<i>dec_spec</i>	::=		Register declarations
		register <i>typ id</i>	
		register alias <i>id = alias_spec</i>	
		register alias <i>typ id = alias_spec</i>	
<i>def</i>	::=		Top-level definition
		<i>kind_def</i>	definition of named kind identifiers
		<i>type_def</i>	type definition
		<i>fundef</i>	function definition
		<i>letbind</i>	value definition
		<i>val_spec</i>	top-level type constraint
		<i>default_spec</i>	default kind and type assumptions
		<i>scattered_def</i>	scattered function and type definition
		<i>dec_spec</i>	register declaration
		<i>dec_comm</i>	generated comments
<i>defs</i>	::=		Definition sequence
		<i>def</i> ₁ .. <i>def</i> _{<i>n</i>}	

4 Sail primitive types and functions

<i>built_in_types</i>	<pre> ::= bit : Typ unit : Typ forall Nat <i>'n</i>. Nat <i>'m</i>. range <<i>'n, 'm</i>> : Nat → Nat → Typ forall Nat <i>'n</i>. atom <<i>'n</i>> : Nat → Typ forall Nat <i>'n</i>, Nat <i>'m</i>, Order <i>'o</i>, Typ <i>'t</i>. vector <<i>'n, 'm, 'o, 't</i>> : Nat → Nat → Order → Typ forall Typ <i>'a</i>. option <<i>'a</i>> : Typ → Typ forall Typ <i>'t</i>. register <<i>'t</i>> : Typ → Typ forall Typ <i>'t</i>. reg <<i>'t</i>> : Typ → Typ forall Nat <i>'n</i>. implicit <<i>'n</i>> : Nat → Typ </pre>	<p>Type Kind</p> <p>singleton number, instead of range<<i>'n, 'm</i>></p> <p>internal reference cell</p> <p>To add to a function val specification ind</p>
<i>built_in_type_abbreviations</i>	<pre> ::= bool ⇒ bit nat ⇒ [[0..<i>pos_infinity</i>] int ⇒ [[<i>neg_infinity</i>..<i>pos_infinity</i>] uint8 ⇒ [[0..<i>2 * 8</i>] uint16 ⇒ [[0..<i>2 * 16</i>] uint32 ⇒ [[0..<i>2 * 32</i>] uint64 ⇒ [[0..<i>2 * 64</i>] </pre>	
<i>functions</i>	<pre> ::= val forall Typ <i>'a</i>. <i>'a</i> → unit : ignore val forall Typ <i>'a</i>. <i>'a</i> → option <<i>'a</i>> : Some val forall Typ <i>'a</i>. unit → option <<i>'a</i>> : None val ([<i>'n</i> :], [<i>'m</i> :]) → [[<i>'n + 'm</i>] : + val forall Nat <i>'n</i>. (bit [<i>'n</i>], bit [<i>'n</i>]) → bit [<i>'n</i>] : + val forall Nat <i>'n</i>. (bit [<i>'n</i>], bit [<i>'n</i>]) → (bit [<i>'n</i>], bit , bit) : + val forall Nat <i>'n</i>. (bit [<i>'n</i>], bit [<i>'n</i>]) → bit [<i>'n</i>] : +<i>s</i> val forall Nat <i>'n</i>. (bit [<i>'n</i>], bit [<i>'n</i>]) → (bit [<i>'n</i>], bit , bit) : +<i>s</i> </pre>	<p>Built-in functions: all have effect pure, all order polymorphic</p> <p>arithmetic addition</p> <p>unsigned vector addition</p> <p>unsigned vector addition with overflow, carry out</p> <p>signed vector addition</p> <p>signed vector addition with overflow, carry out</p>

val ($[[n..m]]$, $[[o..p]]$) \rightarrow $[[n - o..m - p]]$: -	arithmetic subtraction
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit $'n$: -	unsigned vector subtraction
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow (bit $'n$, bit , bit) : -	unsigned vector subtraction with overflow, carry out
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit $'n$: $-_s$	signed vector subtraction
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow (bit $'n$, bit , bit) : $-_s$	signed vector subtraction with overflow, carry out
val ($[[n..m]]$, $[[o..p]]$) \rightarrow $[[n * o..m * p]]$: *	arithmetic multiplication
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit $[2 * n]$: *	unsigned vector multiplication
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit $[2 * n]$: $*_s$	signed vector multiplication
val ($[[n..m]]$, $[[1..p]]$) \rightarrow $[[0..p - 1]]$: mod	arithmetic modulo
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit $'n$: mod	unsigned vector modulo
val ($[[n..m]]$, $[[1..p]]$) \rightarrow $[[q..r]]$: quot	arithmetic integer division
val forall Nat $'n$, Nat $'m$. (bit $'n$, bit $'m$) \rightarrow bit $'n$: quot	unsigned vector division
val forall Nat $'n$, Nat $'m$. (bit $'n$, bit $'m$) \rightarrow bit $'n$: quot_s	signed vector division
val forall Typ $'a$, Nat $'n$. ($a[n]$) \rightarrow $[:n]$: length	
val forall Typ $'a$, Nat $'n$, Nat $'m$, $n \leq m$. (implicit $'m$, $a[n]$) \rightarrow $a[m]$: mask	reduce size of vector, dropping MSBits. Type system supplies implicit p
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit $:\equiv$	vector equality
val forall Typ $'a$, Typ $'b$. (a, b) \rightarrow bit $:\equiv$	
val forall Typ $'a$, Typ $'b$. (a, b) \rightarrow bit $:\neq$	
val ($[[n..m]]$, $[[o..p]]$) \rightarrow bit : \langle	
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit : \langle	unsigned less than
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit : \langle_s	
val ($[[n..m]]$, $[[o..p]]$) \rightarrow bit : \rangle	
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit : \rangle	unsigned greater than
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit : \rangle_s	
val ($[[n..m]]$, $[[o..p]]$) \rightarrow bit : \leq	
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit : \leq	unsigned less than or eq
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit : \leq_s	
val ($[[n..m]]$, $[[o..p]]$) \rightarrow bit : \geq	
val forall Nat $'n$. (bit $'n$, bit $'n$) \rightarrow bit : \geq	unsigned greater than or eq

	val forall Nat 'n. (bit ['n], bit ['n]) → bit :>= _s	
	val bit → bit :	bit negation
	val forall Nat 'n. bit ['n] → bit ['n] :	bitwise negation
	val (bit , bit) → bit :	bitwise or
	val forall Nat 'n. (bit ['n], bit ['n]) → bit ['n] :	
	val (bit , bit) → bit :&	bitwise and
	val forall Nat 'n. (bit ['n], bit ['n]) → bit ['n] :&	
	val (bit , bit) → bit :↑	bitwise xor
	val forall Nat 'n. (bit ['n], bit ['n]) → bit ['n] :↑	
	val forall Nat 'n. (bit , [['n]]) → bit ['n] :↑↑	duplicate bit into a vector
	val forall Nat 'n, Nat 'm, 'm ≤' n. (bit ['n], [['m]]) → bit ['n] :<<	left shift
	val forall Nat 'n, Nat 'm, 'm ≤' n. (bit ['n], [['m]]) → bit ['n] :>>	right shift
	val forall Nat 'n, Nat 'm, 'm ≤' n. (bit ['n], [['m]]) → bit ['n] :<<<	rotate

functions_with_coercions

::=

	val forall Nat 'n. (<i>bit</i> ['n], bit ['n]) → [[2**'n]] : +
	val forall Nat 'n, Nat 'o, Nat 'p. (bit ['n], [['o..'p]]) → bit ['n] : +
	val forall Nat 'n, Nat 'o, Nat 'p. ([['o..'p]], bit ['n]) → bit ['n] : +
	val forall Nat 'n, Nat 'o, Nat 'p. (bit ['n], [['o..'p]]) → [['o..'p] + 2 * *'n]] : +
	val forall Nat 'n. (bit ['n], bit) → bit ['n] : +
	val forall Nat 'n. (bit , bit ['n]) → bit ['n] : +
	val forall Nat 'n. (<i>bit</i> ['n], bit ['n]) → [[2**'n]] : +_s
	val forall Nat 'n, Nat 'o, Nat 'p. (bit ['n], [['o..'p]]) → bit ['n] : +_s
	val forall Nat 'n, Nat 'o, Nat 'p. ([['o..'p]], bit ['n]) → bit ['n] : +_s
	val forall Nat 'n, Nat 'o, Nat 'p. (bit ['n], [['o..'p]]) → [['o..'p] + 2 * *'n]] : +_s
	val forall Nat 'n. (bit ['n], bit) → bit ['n] : +_s
	val forall Nat 'n. (bit , bit ['n]) → bit ['n] : +_s
	val forall Nat 'n, Nat 'o, Nat 'p. (bit ['n], [['o..'p]]) → bit ['n] : -
	val forall Nat 'n, Nat 'o, Nat 'p. ([['o..'p]], bit ['n]) → bit ['n] : -
	val forall Nat 'n, Nat 'o, Nat 'p. (bit ['n], [['o..'p]]) → [['o..'p] + 2 * *'n]] : -

<i>optx</i>	::=	
		<i>x</i>
<i>tag</i>	::=	Data indicating where the identifier arises and thus information necessary in compilation
		None
		Intro Denotes an assignment and lexp that introduces a binding
		Set Denotes an expression that mutates a local variable
		Global Globally let-bound or enumeration based value/variable
		Ctor Data constructor from a type union
		Extern <i>optx</i> External function, specied only with a val statement
		Default Type has come from default declaration, identifier may not be bound locally
		Spec
		Enum <i>num</i>
		Alias
		<i>Unknown_pathoptx</i> Tag to distinguish an unknown path from a non-analysis non deterministic path
<i>ne</i>	::=	internal numeric expressions
		' <i>x</i>
		<i>num</i>
		infinity
		<i>ne</i> ₁ * <i>ne</i> ₂
		<i>ne</i> ₁ + ... + <i>ne</i> _{<i>n</i>}
		<i>ne</i> ₁ - <i>ne</i> ₂
		2** <i>ne</i>
		(- <i>ne</i>)
		zero S
		one S
		bitlength (<i>bin</i>) M
		bitlength (<i>hex</i>) M

		count ($num_0 \dots num_i$)	M	
		length ($pat_1 \dots pat_n$)	M	
		length ($exp_1 \dots exp_n$)	M	
t_arg	::=			Argument to type constructors
		t		
		ne		
		$effect$		
		$order$		
		fresh	M	
t_args	::=			Arguments to type constructors
		$t_arg_1 \dots t_arg_n$		
nec	::=			Numeric expression constraints
		$ne \leq ne'$		
		$ne = ne'$		
		$ne \geq ne'$		
		$\exists x \mathbf{IN} \{num_1, \dots, num_n\}$		
		$nec_0 .. nec_n \rightarrow nec'_0 \dots nec'_m$		
		$nec_0 \dots nec_n$		
Σ^N	::=			nexp constraint lists
		$\{nec_1, \dots, nec_n\}$		
		$\Sigma^N_1 \uplus \dots \uplus \Sigma^N_n$	M	
		consistent_increase $ne_1 ne'_1 \dots ne_n ne'_n$	M	Generates constraints from pairs of constraints, where the first of each pair is always larger than the second
		consistent_decrease $ne_1 ne'_1 \dots ne_n ne'_n$	M	Generates constraints from pairs of constraints, where the first of each pair is always smaller than the second
		resolve (Σ^N)		
E^D	::=			Environments storing top level information, such as defined abbreviations, records, enumerations, and kinds

		$\langle E^K, E^A, E^R, E^E \rangle$	
		ϵ	
		$E^D \uplus E^{D'}$	
$kinf$::=		Whether a kind is default or from a local binding
		k	
		k default	
tid	::=		A type identifier or type variable
		id	
		kid	
E^K	::=		Kind environments
		$\{tid_1 \mapsto kinf_1, \dots, tid_n \mapsto kinf_n\}$	
		$E^K_1 \uplus \dots \uplus E^K_n$	M In a unioning $kinf$, k default u k results in k (i.e. the default is locally forgotten)
		$E^K \setminus E^K_1 \dots E^K_n$	M
$tinfn$::=		Type variables, type, and constraints, bound to an identifier
		t	
		E^K, Σ^N, tag, t	
E^A	::=		
		$\{tid_1 \mapsto tinfn_1, \dots, tid_n \mapsto tinfn_n\}$	
		$E^A_1 \uplus \dots \uplus E^A_n$	
$field_typs$::=		Record fields
		$id_1 : t_1, \dots, id_n : t_n$	
E^R	::=		Record environments
		$\{\{field_typs_1\} \mapsto tinfn_1, \dots, \{field_typs_n\} \mapsto tinfn_n\}$	

		$E_1^R \uplus \dots \uplus E_n^R$	M
$enumerate_map$::=	$\{num_1 \mapsto id_1 \dots num_n \mapsto id_n\}$	
E^E	::=	$\{t_1 \mapsto enumerate_map_1, \dots, t_n \mapsto enumerate_map_n\}$ $E_1^E \uplus \dots \uplus E_n^E$	Enumeration environments
E^T	::=	$\{id_1 \mapsto tinf_1, \dots, id_n \mapsto tinf_n\}$ $\{id \mapsto \mathbf{overload} \ tinf \ conformsto : tinf_1, \dots, tinf_n\}$ $(E^T_1 \uplus \dots \uplus E^T_n)$ $\uplus E^T_1 \dots E^T_n$ $E^T \setminus id_1 \dots id_n$ $(E^T_1 \cap \dots \cap E^T_n)$ $\cap E^T_1 \dots E^T_n$	Type environments M M M M M
ts	::=	t_1, \dots, t_n	
E	::=	$\langle E^T, E^D \rangle$ ϵ $E \uplus E'$	Definition environment and lexical environment M
I	::=	$\langle \Sigma^N, effect \rangle$ I_ϵ $I_1 \uplus I_2$	Information given by type checking an expression Empty constraints, effect

		$I_1 \uplus \dots \uplus I_n$	Unions the constraints and effect
<i>formula</i>	::=		
		<i>judgement</i>	
		$formula_1 \dots formula_n$	
		$E^K(tid) \triangleright kinf$	Kind lookup
		$E^A(tid) \triangleright tinf$	
		$E^T(id) \triangleright tinf$	Type lookup
		$E^T(id) \triangleright \mathbf{overload} \ tinf : tinf_1 \dots tinf_n$	Overloaded type lookup
		$E^K(tid) < - k$	Update the kind associated with id to k
		$E^R(id_0 \dots id_n) \triangleright t, ts$	Record lookup
		$E^R(t) \triangleright id_0 : t_0 \dots id_n : t_n$	Record loopup by type
		$E^E(t) \triangleright enumerate_map$	Enumeration lookup by type
		$\mathbf{dom}(E^{T_1}) \cap \mathbf{dom}(E^{T_2}) = \emptyset$	
		$\mathbf{dom}(E^{K_1}) \cap \mathbf{dom}(E^{K_2}) = \emptyset$	
		$\mathbf{disjoint\ doms}(E^{T_1}, \dots, E^{T_n})$	Pairwise disjoint domains
		$id \notin \mathbf{dom}(E^K)$	
		$id \notin \mathbf{dom}(E^T)$	
		$id_0 : t_0 \dots id_n : t_n \subset id'_0 : t'_0 \dots id'_i : t'_i$	
		$num_1 < \dots < num_n$	
		$num_1 > \dots > num_n$	
		$exp_1 \equiv exp_2$	
		$E^K_1 \equiv E^K_2$	
		$E^K_1 \approx E^K_2$	
		$E^T_1 \equiv E^T_2$	
		$E^R_1 \equiv E^R_2$	
		$E^E_1 \equiv E^E_2$	
		$E^D_1 \equiv E^D_2$	
		$E_1 \equiv E_2$	
		$\Sigma^N_1 \equiv \Sigma^N_2$	

$| id \equiv id$
 $| x_1 \neq x_2$
 $| lit_1 \neq lit_2$
 $| I_1 \equiv I_2$
 $| effect_1 \equiv effect_2$
 $| t_1 \equiv t_2$
 $| ne \equiv ne'$
 $| kid \equiv fresh_kid(E^D)$

5.2 Type relations

$E^K \vdash_t t \mathbf{ok}$ Well-formed types

$$\begin{array}{c}
\frac{E^K('x) \triangleright K_Typ}{E^K \vdash_t 'x \mathbf{ok}} \text{ CHECK_T_VAR} \\
\frac{E^K('x) \triangleright K_infer \quad E^K('x) < - | K_Typ}{E^K \vdash_t 'x \mathbf{ok}} \text{ CHECK_T_VARINFER} \\
\frac{E^K \vdash_t t_1 \mathbf{ok} \quad E^K \vdash_t t_2 \mathbf{ok} \quad E^K \vdash_e effect \mathbf{ok}}{E^K \vdash_t t_1 \rightarrow t_2 effect \mathbf{ok}} \text{ CHECK_T_FN} \\
\frac{E^K \vdash_t t_1 \mathbf{ok} \quad \dots \quad E^K \vdash_t t_n \mathbf{ok}}{E^K \vdash_t (t_1, \dots, t_n) \mathbf{ok}} \text{ CHECK_T_TUP} \\
\frac{E^K(x) \triangleright K_Lam(k_1 .. k_n \rightarrow K_Typ) \quad E^K, k_1 \vdash t_arg_1 \mathbf{ok} \quad \dots \quad E^K, k_n \vdash t_arg_n \mathbf{ok}}{E^K \vdash_t x \langle t_arg_1 .. t_arg_n \rangle \mathbf{ok}} \text{ CHECK_T_APP}
\end{array}$$

$E^K \vdash_e effect \mathbf{ok}$ Well-formed effects

$$\frac{E^K('x) \triangleright K_Efect}{E^K \vdash_e 'x \mathbf{ok}} \text{ CHECK_EF_VAR}$$

$$\frac{E^K(\cdot x) \triangleright K_infer \quad E^K(\cdot x) < -|K_Efect}{E^K \vdash_e \cdot x \mathbf{ok}} \quad \text{CHECK_EF_VARINFER}$$

$$\frac{}{E^K \vdash_e \{base_effect_1, \dots, base_effect_n\} \mathbf{ok}} \quad \text{CHECK_EF_SET}$$

$E^K \vdash_n ne \mathbf{ok}$

Well-formed numeric expressions

$$\frac{E^K(\cdot x) \triangleright K_Nat}{E^K \vdash_n \cdot x \mathbf{ok}} \quad \text{CHECK_N_VAR}$$

$$\frac{E^K(\cdot x) \triangleright K_infer \quad E^K(\cdot x) < -|K_Nat}{E^K \vdash_n \cdot x \mathbf{ok}} \quad \text{CHECK_N_VARINFER}$$

$$\frac{}{E^K \vdash_n num \mathbf{ok}} \quad \text{CHECK_N_NUM}$$

$$\frac{E^K \vdash_n ne_1 \mathbf{ok} \quad E^K \vdash_n ne_2 \mathbf{ok}}{E^K \vdash_n ne_1 + ne_2 \mathbf{ok}} \quad \text{CHECK_N_SUM}$$

$$\frac{E^K \vdash_n ne_1 \mathbf{ok} \quad E^K \vdash_n ne_2 \mathbf{ok}}{E^K \vdash_n ne_1 * ne_2 \mathbf{ok}} \quad \text{CHECK_N_MULT}$$

$$\frac{E^K \vdash_n ne \mathbf{ok}}{E^K \vdash_n 2^{**} ne \mathbf{ok}} \quad \text{CHECK_N_EXP}$$

$E^K \vdash_o order \mathbf{ok}$

Well-formed numeric expressions

$$\frac{E^K(\cdot x) \triangleright K_Ord}{E^K \vdash_o \cdot x \mathbf{ok}} \quad \text{CHECK_ORD_VAR}$$

$$\frac{E^K(\cdot x) \triangleright K_infer \quad E^K(\cdot x) < -|K_Ord}{E^K \vdash_o \cdot x \mathbf{ok}} \quad \text{CHECK_ORD_VARINFER}$$

$E^K, k \vdash t_arg \mathbf{ok}$

Well-formed type arguments kind check matching the application type variable

$$\frac{E^K \vdash_t t \mathbf{ok}}{E^K, K_Typ \vdash t \mathbf{ok}} \text{ CHECK_TARGS_TYP}$$

$$\frac{E^K \vdash_e \mathit{effect} \mathbf{ok}}{E^K, K_Efect \vdash \mathit{effect} \mathbf{ok}} \text{ CHECK_TARGS_EFF}$$

$$\frac{E^K \vdash_n ne \mathbf{ok}}{E^K, K_Nat \vdash ne \mathbf{ok}} \text{ CHECK_TARGS_NAT}$$

$$\frac{E^K \vdash_o \mathit{order} \mathbf{ok}}{E^K, K_Ord \vdash \mathit{order} \mathbf{ok}} \text{ CHECK_TARGS_ORD}$$

$$\boxed{E^K \vdash \mathit{kind} \rightsquigarrow k}$$

$$\frac{}{E^K \vdash \mathbf{Type} \rightsquigarrow K_Typ} \text{ CONVERT_KIND_TYP}$$

$$\boxed{E^D \vdash \mathit{quant_item} \rightsquigarrow E^K_1, \Sigma^N}$$

Convert source quantifiers to kind environments and constraints

$$\frac{E^K \vdash \mathit{kind} \rightsquigarrow k}{\langle E^K, E^A, E^R, E^E \rangle \vdash \mathit{kind}'x \rightsquigarrow \{ 'x \mapsto k \}, \{ \}} \text{ CONVERT_QUANTS_KIND}$$

$$\frac{E^K('x) \triangleright k}{\langle E^K, E^A, E^R, E^E \rangle \vdash 'x \rightsquigarrow \{ 'x \mapsto k \}, \{ \}} \text{ CONVERT_QUANTS_NOKIND}$$

$$\frac{\vdash nexp_1 \rightsquigarrow ne_1 \quad \vdash nexp_2 \rightsquigarrow ne_2}{E^D \vdash nexp_1 = nexp_2 \rightsquigarrow \{ \}, \{ ne_1 = ne_2 \}} \text{ CONVERT_QUANTS_EQ}$$

$$\frac{\vdash nexp_1 \rightsquigarrow ne_1 \quad \vdash nexp_2 \rightsquigarrow ne_2}{E^D \vdash nexp_1 \geq nexp_2 \rightsquigarrow \{ \}, \{ ne_1 \geq ne_2 \}} \text{ CONVERT_QUANTS_GTEQ}$$

$$\frac{\vdash nexp_1 \rightsquigarrow ne_1 \quad \vdash nexp_2 \rightsquigarrow ne_2}{E^D \vdash nexp_1 \leq nexp_2 \rightsquigarrow \{ \}, \{ ne_1 \leq ne_2 \}} \text{ CONVERT_QUANTS_LTEQ}$$

$$\frac{}{E^D \vdash 'x \mathbf{IN} \{num_1, \dots, num_n\} \rightsquigarrow \{\}, \{ 'x \mathbf{IN} \{num_1, \dots, num_n\} \}} \text{ CONVERT_QUANTS_IN}$$

$$\boxed{E^D \vdash \text{typschm} \rightsquigarrow t, E^K, \Sigma^N}$$

Convert source types with typeschemes to internal types and kind environments

$$\frac{E^D \vdash \text{typ} \rightsquigarrow t}{E^D \vdash \text{typ} \rightsquigarrow t, \{\}, \{\}} \text{ CONVERT_TYPSCHEM_NOQUANT}$$

$$E^D \vdash \text{quant_item}_1 \rightsquigarrow E^{K_1, \Sigma^N_1} \quad \dots \quad E^D \vdash \text{quant_item}_n \rightsquigarrow E^{K_n, \Sigma^N_n}$$

$$E^K \equiv E^{K_1} \uplus \dots \uplus E^{K_n}$$

$$E^D \uplus \langle E^K, \{\}, \{\}, \{\} \rangle \vdash \text{typ} \rightsquigarrow t$$

$$\frac{}{E^D \vdash \mathbf{forall} \text{ quant_item}_1, \dots, \text{ quant_item}_n. \text{ typ} \rightsquigarrow t, E^K, \Sigma^N_1 \uplus \dots \uplus \Sigma^N_n} \text{ CONVERT_TYPSCHEM_QUANT}$$

$$\boxed{E^D \vdash \text{typ} \rightsquigarrow t}$$

Convert source types to internal types

$$\frac{E^K('x) \triangleright K_Typ}{\langle E^K, E^A, E^R, E^E \rangle \vdash 'x \rightsquigarrow 'x} \text{ CONVERT_TYP_VAR}$$

$$\frac{E^K(x) \triangleright K_Typ}{\langle E^K, E^A, E^R, E^E \rangle \vdash x \rightsquigarrow x} \text{ CONVERT_TYP_ID}$$

$$\frac{E^D \vdash \text{typ}_1 \rightsquigarrow t_1 \quad E^D \vdash \text{typ}_2 \rightsquigarrow t_2}{E^D \vdash \text{typ}_1 \rightarrow \text{typ}_2 \mathbf{effect} \text{ effect} \rightsquigarrow t_1 \rightarrow t_2 \mathbf{effect}} \text{ CONVERT_TYP_FN}$$

$$\frac{E^D \vdash \text{typ}_1 \rightsquigarrow t_1 \quad \dots \quad E^D \vdash \text{typ}_n \rightsquigarrow t_n}{E^D \vdash (\text{typ}_1, \dots, \text{typ}_n) \rightsquigarrow (t_1, \dots, t_n)} \text{ CONVERT_TYP_TUP}$$

$$\frac{E^K(x) \triangleright K_Lam(k_1 .. k_n \rightarrow K_Typ) \quad \langle E^K, E^A, E^R, E^E \rangle, k_1 \vdash \text{typ_arg}_1 \rightsquigarrow t_arg_1 \quad \dots \quad \langle E^K, E^A, E^R, E^E \rangle, k_n \vdash \text{typ_arg}_n \rightsquigarrow t_arg_n}{\langle E^K, E^A, E^R, E^E \rangle \vdash x \langle \text{typ_arg}_1, \dots, \text{typ_arg}_n \rangle \rightsquigarrow x \langle t_arg_1 .. t_arg_n \rangle} \text{ CONVERT_TYP_APP}$$

$$\boxed{E^D, k \vdash \text{typ_arg} \rightsquigarrow t_arg}$$

Convert source type arguments to internals

$$\frac{E^D \vdash \text{typ} \rightsquigarrow t}{E^D, K_Typ \vdash \text{typ} \rightsquigarrow t} \text{ CONVERT_TARG_TYP}$$

$$\boxed{\vdash \text{next} \rightsquigarrow \text{ne}}$$

Convert and normalize numeric expressions

$$\begin{array}{c}
\frac{}{\vdash 'x \rightsquigarrow 'x} \text{ CONVERT_NEXP_VAR} \\
\frac{}{\vdash num \rightsquigarrow num} \text{ CONVERT_NEXP_NUM} \\
\frac{\vdash nexp_1 \rightsquigarrow ne_1 \quad \vdash nexp_2 \rightsquigarrow ne_2}{\vdash nexp_1 * nexp_2 \rightsquigarrow ne_1 * ne_2} \text{ CONVERT_NEXP_MULT} \\
\frac{\vdash nexp_1 \rightsquigarrow ne_1 \quad \vdash nexp_2 \rightsquigarrow ne_2}{\vdash nexp_1 + nexp_2 \rightsquigarrow ne_1 + ne_2} \text{ CONVERT_NEXP_ADD} \\
\frac{\vdash nexp \rightsquigarrow ne}{\vdash 2 * nexp \rightsquigarrow 2 ** ne} \text{ CONVERT_NEXP_EXP}
\end{array}$$

$$\boxed{E^D \vdash t \approx t'}$$

$$\begin{array}{c}
\frac{E^K \vdash_t t \mathbf{ok}}{\langle E^K, E^A, E^R, E^E \rangle \vdash t \approx t} \text{ CONFORMS_TO_REFL} \\
\frac{E^D \vdash t_1 \approx t_2 \quad E^D \vdash t_2 \approx t_3}{E^D \vdash t_1 \approx t_3} \text{ CONFORMS_TO_TRANS} \\
\frac{}{E^D \vdash 'x \approx t} \text{ CONFORMS_TO_VAR} \\
\frac{}{E^D \vdash t \approx 'x} \text{ CONFORMS_TO_VAR2} \\
\frac{E^A(x) \triangleright u \quad \langle E^K, E^A, E^R, E^E \rangle \vdash u \approx t}{\langle E^K, E^A, E^R, E^E \rangle \vdash x \approx t} \text{ CONFORMS_TO_ABBREV} \\
\frac{E^A(x) \triangleright u \quad \langle E^K, E^A, E^R, E^E \rangle \vdash t \approx u}{\langle E^K, E^A, E^R, E^E \rangle \vdash t \approx x} \text{ CONFORMS_TO_ABBREV2}
\end{array}$$

$$\frac{E^D \vdash t_1 \approx u_1 \quad \dots \quad E^D \vdash t_n \approx u_n}{E^D \vdash (t_1, \dots, t_n) \approx (u_1, \dots, u_n)} \quad \text{CONFORMS_TO_TUP}$$

$$\frac{E^K(x) \triangleright K_Lam(k_1 .. k_n \rightarrow K_Typ) \quad \langle E^K, E^A, E^R, E^E \rangle, k_1 \vdash t_arg_1 \approx t_arg'_1 \quad \dots \quad \langle E^K, E^A, E^R, E^E \rangle, k_n \vdash t_arg_n \approx t_arg'_n}{\langle E^K, E^A, E^R, E^E \rangle \vdash x \langle t_arg_1 .. t_arg_n \rangle \approx x \langle t_arg'_1 .. t_arg'_n \rangle} \quad \text{CONFORMS_TO_APP}$$

$$\frac{x' \neq x \quad E^A(x') \triangleright \{tid_1 \mapsto kinf_1, \dots, tid_m \mapsto kinf_m\}, \Sigma^N, tag, u \quad \langle E^K, E^A, E^R, E^E \rangle \vdash x \langle t_arg_1 .. t_arg_n \rangle \approx u [t_arg'_1 / tid_1 .. t_arg'_m / tid_m]}{\langle E^K, E^A, E^R, E^E \rangle \vdash x \langle t_arg_1 .. t_arg_n \rangle \approx x' \langle t_arg'_1 .. t_arg'_m \rangle} \quad \text{CONFORMS_TO_APPABBREV}$$

$$\frac{x' \neq x \quad E^A(x') \triangleright \{tid_1 \mapsto kinf_1, \dots, tid_n \mapsto kinf_n\}, \Sigma^N, tag, u \quad \langle E^K, E^A, E^R, E^E \rangle \vdash u [t_arg_1 / tid_1 .. t_arg_n / tid_n] \approx x \langle t_arg'_1 .. t_arg'_m \rangle}{\langle E^K, E^A, E^R, E^E \rangle \vdash x' \langle t_arg_1 .. t_arg_n \rangle \approx x \langle t_arg'_1 .. t_arg'_m \rangle} \quad \text{CONFORMS_TO_APPABBREV2}$$

$$\frac{E^D \vdash t \approx u}{E^D \vdash \mathbf{register} \langle t \rangle \approx u} \quad \text{CONFORMS_TO_REGISTER}$$

$$\boxed{E^D, k \vdash t_arg \approx t_arg'}$$

$$\frac{E^D \vdash t \approx t'}{E^D, K_Typ \vdash t \approx t'} \quad \text{TARGCONFORMS_TYP}$$

$$\frac{}{E^D, K_Nat \vdash ne \approx ne'} \quad \text{TARGCONFORMS_NEXP}$$

$$\boxed{\sigma_{conformsto(t,t')}(\mathit{tinflist}) \triangleright \mathit{tinflist}'}$$

$$\frac{E^D \vdash t_i \approx t'_i \quad E^D \vdash t'_j \approx t_j \quad \sigma_{\mathbf{full}(t_i, t_j)}(\mathit{tinfo} .. \mathit{tinf}_m \mathit{tinf}'_0 .. \mathit{tinf}'_n) \triangleright \epsilon}{\sigma_{\mathbf{full}(t_i, t_j)}(\mathit{tinfo} .. \mathit{tinf}_m E^K, \Sigma^N, tag, t'_i \rightarrow t'_j \mathit{effect} \mathit{tinfo}'_0 .. \mathit{tinf}'_n) \triangleright E^K, \Sigma^N, tag, t'_i \rightarrow t'_j} \quad \text{SO_FULL}$$

$$\frac{E^D \vdash t_i \approx t'_i \quad \sigma_{\mathbf{parm}(t_i, t_j)}(\mathit{tinfo} .. \mathit{tinf}_m) \triangleright \epsilon}{\sigma_{\mathbf{parm}(t_i, t_j)}(\mathit{tinfo} .. \mathit{tinf}_m E^K, \Sigma^N, tag, t'_i \rightarrow t \mathit{effect} \mathit{tinfo}'_0 .. \mathit{tinf}'_n) \triangleright E^K, \Sigma^N, tag, t'_i \rightarrow t} \quad \text{SO_PARM}$$

$$E^D \vdash t \approx t', \Sigma^N$$

$$\begin{array}{c}
\frac{E^K \vdash_t \mathbf{ok}}{\langle E^K, E^A, E^R, E^E \rangle \vdash t \approx t, \{ \}} \text{CONSISTENT_TYP_REFL} \\
\frac{E^D \vdash t_1 \approx t_2, \Sigma_1^N \quad E^D \vdash t_2 \approx t_3, \Sigma_2^N}{E^D \vdash t_1 \approx t_3, \Sigma_1^N \uplus \Sigma_2^N} \text{CONSISTENT_TYP_TRANS} \\
\frac{E^A(x) \triangleright \{ \}, \Sigma_1^N, \text{tag}, u \quad \langle E^K, E^A, E^R, E^E \rangle \vdash u \approx t, \Sigma^N}{\langle E^K, E^A, E^R, E^E \rangle \vdash x \approx t, \Sigma^N \uplus \Sigma_1^N} \text{CONSISTENT_TYP_ABBREV} \\
\frac{E^A(x) \triangleright \{ \}, \Sigma_1^N, \text{tag}, u \quad \langle E^K, E^A, E^R, E^E \rangle \vdash t \approx u, \Sigma^N}{\langle E^K, E^A, E^R, E^E \rangle \vdash t \approx x, \Sigma^N \uplus \Sigma_1^N} \text{CONSISTENT_TYP_ABBREV2} \\
\frac{}{E^D \vdash 'x \approx t, \{ \}} \text{CONSISTENT_TYP_VAR} \\
\frac{}{E^D \vdash t \approx 'x, \{ \}} \text{CONSISTENT_TYP_VAR2} \\
\frac{E^D \vdash t_1 \approx u_1, \Sigma_1^N \quad \dots \quad E^D \vdash t_n \approx u_n, \Sigma_n^N}{E^D \vdash (t_1, \dots, t_n) \approx (u_1, \dots, u_n), \Sigma_1^N \uplus \dots \uplus \Sigma_n^N} \text{CONSISTENT_TYP_TUP} \\
\frac{}{E^D \vdash \mathbf{range} \langle ne_1 ne_2 \rangle \approx \mathbf{range} \langle ne_3 ne_4 \rangle, \{ ne_3 \leq ne_1, ne_2 \leq ne_4 \}} \text{CONSISTENT_TYP_RANGE} \\
\frac{}{E^D \vdash \mathbf{atom} \langle ne \rangle \approx \mathbf{range} \langle ne_1 ne_2 \rangle, \{ ne_1 \leq ne, ne \leq ne_2 \}} \text{CONSISTENT_TYP_ATOMRANGE} \\
\frac{}{E^D \vdash \mathbf{atom} \langle ne_1 \rangle \approx \mathbf{atom} \langle ne_2 \rangle, \{ ne_1 = ne_2 \}} \text{CONSISTENT_TYP_ATOM} \\
\frac{}{E^D \vdash \mathbf{range} \langle ne_1 ne_2 \rangle \approx \mathbf{atom} \langle 'x \rangle, \{ ne_1 \leq 'x, 'x \leq ne_2 \}} \text{CONSISTENT_TYP_RANGEATOM} \\
\frac{E^D \vdash t \approx t', \Sigma^N}{E^D \vdash \mathbf{vector} \langle ne_1 ne_2 \text{ order } t \rangle \approx \mathbf{vector} \langle ne_3 ne_4 \text{ order } t' \rangle, \{ ne_1 = ne_3, ne_2 = ne_4 \} \uplus \Sigma^N} \text{CONSISTENT_TYP_VECTOR}
\end{array}$$

$$\frac{E^K(x) \triangleright K_Lam(k_1 .. k_n \rightarrow K_Typ) \quad \langle E^K, E^A, E^R, E^E \rangle, k_1 \vdash t_arg_1 \lesssim t_arg'_1, \Sigma^N_1 \quad \dots \quad \langle E^K, E^A, E^R, E^E \rangle, k_n \vdash t_arg_n \lesssim t_arg'_n, \Sigma^N_n}{\langle E^K, E^A, E^R, E^E \rangle \vdash x \langle t_arg_1 .. t_arg_n \rangle \lesssim x \langle t_arg'_1 .. t_arg'_n \rangle, \Sigma^N_1 \uplus \dots \uplus \Sigma^N_n} \text{CONSISTENT_TYP_APP}$$

$$\frac{x' \neq x \quad E^A(x') \triangleright \{tid_1 \mapsto kinf_1, \dots, tid_m \mapsto kinf_m\}, \Sigma^N, tag, u \quad \langle E^K, E^A, E^R, E^E \rangle \vdash x \langle t_arg_1 .. t_arg_n \rangle \lesssim u[t_arg'_1/tid_1 .. t_arg'_m/tid_m], \Sigma^N_2}{\langle E^K, E^A, E^R, E^E \rangle \vdash x \langle t_arg_1 .. t_arg_n \rangle \lesssim x' \langle t_arg'_1 .. t_arg'_m \rangle, \Sigma^N \uplus \Sigma^N_2} \text{CONSISTENT_TYP_APP_ABBREV}$$

$$\frac{x' \neq x \quad E^A(x') \triangleright \{tid_1 \mapsto kinf_1, \dots, tid_m \mapsto kinf_m\}, \Sigma^N, tag, u \quad \langle E^K, E^A, E^R, E^E \rangle \vdash u[t_arg'_1/tid_1 .. t_arg'_m/tid_m] \lesssim x \langle t_arg_1 .. t_arg_n \rangle, \Sigma^N_2}{\langle E^K, E^A, E^R, E^E \rangle \vdash x' \langle t_arg'_1 .. t_arg'_m \rangle \lesssim x \langle t_arg_1 .. t_arg_n \rangle, \Sigma^N \uplus \Sigma^N_2} \text{CONSISTENT_TYP_APP_ABBREV2}$$

$$\boxed{E^D, k \vdash t_arg \lesssim t_arg', \Sigma^N}$$

$$\frac{E^D \vdash t \lesssim t', \Sigma^N}{E^D, K_Typ \vdash t \lesssim t', \Sigma^N} \text{TARG_CONSISTENT_TYP}$$

$$\frac{}{E^D, K_Nat \vdash ne \lesssim ne', \{ne = ne'\}} \text{TARG_CONSISTENT_NEXP}$$

$$\boxed{E^D, t' \vdash exp : t \triangleright t'', exp', \Sigma^N, effect}$$

$$\frac{E^D, u_1 \vdash id_1 : t_1 \triangleright u_1, exp_1, \Sigma^N_1, effect_1 \quad \dots \quad E^D, u_n \vdash id_n : t_n \triangleright u_n, exp_n, \Sigma^N_n, effect_n \quad exp' \equiv \mathbf{switch} \, exp \{ \mathbf{case} \, (id_1, \dots, id_n) \rightarrow (exp_1, \dots, exp_n) \}}{E^D, (u_1, \dots, u_n) \vdash exp : (t_1, \dots, t_n) \triangleright (u_1, \dots, u_n), exp', \Sigma^N_1 \uplus \dots \uplus \Sigma^N_n, \mathbf{pure}} \text{COERCE_TYP_TUPLE}$$

$$\frac{E^D \vdash u \lesssim t, \Sigma^N \quad exp' \equiv (\mathbf{annot}) \, exp}{E^D, \mathbf{vector} \langle ne_1 \, ne_2 \, order \, t \rangle \vdash exp : \mathbf{vector} \langle ne_3 \, ne_4 \, order \, u \rangle \triangleright \mathbf{vector} \langle ne_3 \, ne_4 \, order \, t \rangle, exp', \Sigma^N \uplus \{ne_2 = ne_4\}, \mathbf{pure}} \text{COERCE_TYP_VECTORUPDATESTART}$$

$$\frac{E^D \vdash u \lesssim \mathbf{bit}, \Sigma^N \quad exp' \equiv \mathbf{to_num} \, exp}{E^D, \mathbf{range} \langle ne_1 \, ne_2 \rangle \vdash exp : \mathbf{vector} \langle ne_3 \, ne_4 \, order \, u \rangle \triangleright \mathbf{range} \langle ne_1 \, ne_2 \rangle, exp', \Sigma^N \uplus \{ne_1 = \mathbf{zero}, ne_2 \geq 2 ** ne_4\}, \mathbf{pure}} \text{COERCE_TYP_TONUM}$$

$$\frac{exp' \equiv \mathbf{to_vec} \, exp}{E^D, \mathbf{vector} \langle ne_1 \, ne_2 \, order \, \mathbf{bit} \rangle \vdash exp : \mathbf{range} \langle ne_3 \, ne_4 \rangle \triangleright \mathbf{vector} \langle ne_1 \, ne_2 \, order \, \mathbf{bit} \rangle, exp', \{ne_3 = \mathbf{zero}, ne_4 \leq 2 ** ne_2\}, \mathbf{pure}} \text{COERCE_TYP_FROMNUM}$$

$$\frac{E^D \vdash \text{typ} \rightsquigarrow t \quad \text{exp}' \equiv (\text{typ}) \text{exp} \quad E^D, u \vdash \text{exp}' : t \triangleright t', \text{exp}'', \Sigma^N, \mathbf{pure}}{E^D, u \vdash \text{exp} : \mathbf{register} \langle t \rangle \triangleright t', \text{exp}'', \Sigma^N, \{\mathbf{rreg}\}} \text{COERCE_TYP_READREG}$$

$$\frac{\text{exp}' \equiv \text{exp}[\text{numZero}]}{E^D, \mathbf{bit} \vdash \text{exp} : \mathbf{vector} \langle ne_1 ne_2 \text{ order bit} \rangle \triangleright \mathbf{bit}, \text{exp}', \{ne_1 = \mathbf{one}\}, \mathbf{pure}} \text{COERCE_TYP_ACCESSVECBIT}$$

$$\frac{E^D \vdash \mathbf{range} \langle \mathbf{zero one} \rangle \lesssim \mathbf{range} \langle ne_1 ne_2 \rangle, \Sigma^N \quad \text{exp}' \equiv \mathbf{switch} \text{exp} \{ \mathbf{case bitzero} \rightarrow \text{numZero} \mathbf{case bitone} \rightarrow \text{numOne} \}}{E^D, \mathbf{range} \langle ne_1 ne_2 \rangle \vdash \text{exp} : \mathbf{bit} \triangleright \mathbf{range} \langle ne_1 ne_2 \rangle, \text{exp}', \Sigma^N, \mathbf{pure}} \text{COERCE_TYP_BITTONUM}$$

$$\frac{E^D \vdash \mathbf{range} \langle ne_1 ne_2 \rangle \lesssim \mathbf{range} \langle \mathbf{zero one} \rangle, \Sigma^N \quad \text{exp}' \equiv \mathbf{switch} \text{exp} \{ \mathbf{case numZero} \rightarrow \mathbf{bitzero} \mathbf{case numOne} \rightarrow \mathbf{bitone} \}}{E^D, \mathbf{bit} \vdash \mathbf{range} : \mathbf{range} \langle ne_1 ne_2 \rangle \triangleright \mathbf{bit}, \text{exp}', \Sigma^N, \mathbf{pure}} \text{COERCE_TYP_NUMTOBIT}$$

$$\frac{E^E(x) \triangleright \{ \overline{\text{num}_i} \mapsto \overline{id_i}^i \} \quad \text{exp}' \equiv \mathbf{switch} \text{exp} \{ \mathbf{case num}_i \rightarrow \overline{id_i}^i \} \quad ne_3 \equiv \mathbf{count} (\overline{\text{num}_i}^i)}{\langle E^K, E^A, E^R, E^E \rangle, x \vdash \text{exp} : \mathbf{range} \langle ne_1 ne_2 \rangle \triangleright x, \text{exp}', \{ne_1 \leq \mathbf{zero}, ne_2 \leq ne_3\}, \mathbf{pure}} \text{COERCE_TYP_TOENUMERATE}$$

$$\frac{E^E(x) \triangleright \{ \overline{\text{num}_i} \mapsto \overline{id_i}^i \} \quad \text{exp}' \equiv \mathbf{switch} \text{exp} \{ \mathbf{case id}_i \rightarrow \overline{\text{num}_i}^i \} \quad ne_3 \equiv \mathbf{count} (\overline{\text{num}_i}^i) \quad \langle E^K, E^A, E^R, E^E \rangle \vdash \mathbf{range} \langle \mathbf{zero} ne_3 \rangle \lesssim \mathbf{range} \langle ne_1 ne_2 \rangle, \Sigma^N}{\langle E^K, E^A, E^R, E^E \rangle, \mathbf{range} \langle ne_1 ne_2 \rangle \vdash \text{exp} : x \triangleright \mathbf{range} \langle \mathbf{zero} ne_3 \rangle, \text{exp}', \Sigma^N, \mathbf{pure}} \text{COERCE_TYP_FROMENUMERATE}$$

$$\frac{E^D \vdash t \lesssim u, \Sigma^N}{E^D, u \vdash \text{exp} : t \triangleright t, \text{exp}, \Sigma^N, \mathbf{pure}} \text{COERCE_TYP_EQ}$$

$t \vdash \text{lit} : t' \Rightarrow \text{exp}, \Sigma^N$

Typing literal constants, coercing to expected type t

$$\overline{\mathbf{range} \langle ne ne' \rangle \vdash \text{num} : \mathbf{atom} \langle \text{num} \rangle \Rightarrow \text{num}, \{ne \leq \text{num}, \text{num} \leq ne'\}} \text{CHECK_LIT_NUM}$$

$$\overline{\mathbf{vector} \langle ne ne' \text{ order bit} \rangle \vdash \text{num} : \mathbf{atom} \langle \text{num} \rangle \Rightarrow \text{to_vec num}, \{\text{num} + \mathbf{one} \leq 2^{**} ne'\}} \text{CHECK_LIT_NUMTOVEC}$$

$$\begin{array}{c}
\frac{}{\mathbf{bit} \vdash \mathit{numZero} : \mathbf{atom} \langle \mathbf{zero} \rangle \Rightarrow \mathbf{bitzero}, \{ \}} \text{CHECK_LIT_NUMBITZERO} \\
\frac{}{\mathbf{bit} \vdash \mathit{numOne} : \mathbf{atom} \langle \mathbf{one} \rangle \Rightarrow \mathbf{bitone}, \{ \}} \text{CHECK_LIT_NUMBITONE} \\
\frac{}{\mathit{string} \vdash \mathit{string} : \mathit{string} \Rightarrow \mathit{string}, \{ \}} \text{CHECK_LIT_STRING} \\
\frac{\mathit{ne} \equiv \mathbf{bitlength}(\mathit{hex})}{\mathbf{vector} \langle \mathit{ne}_1 \ \mathit{ne}_2 \ \mathit{order} \ \mathbf{bit} \rangle \vdash \mathit{hex} : \mathbf{vector} \langle \mathit{ne}_1 \ \mathit{ne} \ \mathit{order} \ \mathbf{bit} \rangle \Rightarrow \mathit{hex}, \{ \mathit{ne} = \mathit{ne}_2 \}} \text{CHECK_LIT_HEX} \\
\frac{\mathit{ne} \equiv \mathbf{bitlength}(\mathit{bin})}{\mathbf{vector} \langle \mathit{ne}_1 \ \mathit{ne}_2 \ \mathit{order} \ \mathbf{bit} \rangle \vdash \mathit{bin} : \mathbf{vector} \langle \mathit{ne}_1 \ \mathit{ne} \ \mathit{order} \ \mathbf{bit} \rangle \Rightarrow \mathit{bin}, \{ \mathit{ne} = \mathit{ne}_2 \}} \text{CHECK_LIT_BIN} \\
\frac{}{\mathbf{unit} \vdash () : \mathbf{unit} \Rightarrow \mathbf{unit}, \{ \}} \text{CHECK_LIT_UNIT} \\
\frac{}{\mathbf{bit} \vdash \mathbf{bitzero} : \mathbf{bit} \Rightarrow \mathbf{bitzero}, \{ \}} \text{CHECK_LIT_BITZERO} \\
\frac{}{\mathbf{bit} \vdash \mathbf{bitone} : \mathbf{bit} \Rightarrow \mathbf{bitone}, \{ \}} \text{CHECK_LIT_BITONE} \\
\frac{}{t \vdash \mathbf{undefined} : t \Rightarrow \mathbf{undefined}, \{ \}} \text{CHECK_LIT_UNDEF}
\end{array}$$

$E, t \vdash \mathit{pat} : t' \triangleright \mathit{pat}', E^T, \Sigma^N$

Typing patterns, building their binding environment

$$\begin{array}{c}
\frac{\mathit{lit} \neq \mathbf{undefined} \quad t \vdash \mathit{lit} : u \Rightarrow \mathit{lit}', \Sigma^N \quad E^D \vdash u \approx t, \Sigma^{N'}}{\langle E^T, E^D \rangle, t \vdash \mathit{lit} : u \triangleright \mathit{lit}', \{ \}, \Sigma^N \uplus \Sigma^{N'}} \text{CHECK_PAT_LIT} \\
\frac{}{E, t \vdash - : t \triangleright -, \{ \}, \{ \}} \text{CHECK_PAT_WILD} \\
\frac{E, t \vdash \mathit{pat} : u \triangleright \mathit{pat}', E^T_1, \Sigma^N \quad \mathit{id} \notin \mathbf{dom}(E^T_1)}{E, t \vdash (\mathit{pat} \mathbf{as} \ \mathit{id}) : u \triangleright (\mathit{pat}' \mathbf{as} \ \mathit{id}), (E^T_1 \uplus \{ \mathit{id} \mapsto t \}), \Sigma^N} \text{CHECK_PAT_AS}
\end{array}$$

$$\begin{array}{c}
\langle E^T, E^D \rangle, t' \vdash pat : t \triangleright pat', E^{T_1}, \Sigma^N \\
E^T(id) \triangleright \{\}, \{\}, \mathbf{Default}, t' \\
E^D \vdash t' \approx u, \Sigma^{N'} \\
\hline
\langle E^T, E^D \rangle, u \vdash (pat \text{ as } id) : t \triangleright (pat' \text{ as } id), (E^{T_1} \uplus \{id \mapsto t'\}), \Sigma^N \uplus \Sigma^{N'} \quad \text{CHECK_PAT_ASDEFAULT}
\end{array}$$

$$\begin{array}{c}
E^D \vdash typ \rightsquigarrow t \\
\langle E^T, E^D \rangle, t \vdash pat : t \triangleright pat', E^{T_1}, \Sigma^N \\
\hline
\langle E^T, E^D \rangle, u \vdash (typ)pat : t \triangleright pat', E^{T_1}, \Sigma^N \quad \text{CHECK_PAT_TYP}
\end{array}$$

$$\begin{array}{c}
E^T(id) \triangleright \{tid_1 \mapsto kinf_1, \dots, tid_m \mapsto kinf_m\}, \Sigma^N, \mathbf{Ctor}, (u'_1, \dots, u'_n) \rightarrow x \langle t_arg_1 \dots t_arg_m \rangle \mathbf{pure} \\
(u_1, \dots, u_n) \rightarrow x \langle t_args' \rangle \mathbf{pure} \equiv (u'_1, \dots, u'_n) \rightarrow x \langle t_args \rangle \mathbf{pure}[t_arg_1/tid_1 \dots t_arg_m/tid_m] \\
\langle E^T, E^D \rangle, u_1 \vdash pat_1 : t_1 \triangleright pat'_1, E^{T_1}, \Sigma^{N_1} \dots \langle E^T, E^D \rangle, u_n \vdash pat_n : t_n \triangleright pat'_n, E^{T_n}, \Sigma^{N_n} \\
\mathbf{disjoint doms} (E^{T_1}, \dots, E^{T_n}) \\
E^D \vdash x \langle t_args' \rangle \approx t, \Sigma^N \\
\hline
\langle E^T, E^D \rangle, t \vdash id(pat_1, \dots, pat_n) : x \langle t_args' \rangle \triangleright id(pat'_1, \dots, pat'_n), \uplus E^{T_1} \dots E^{T_n}, \Sigma^N \uplus \Sigma^{N_1} \uplus \dots \uplus \Sigma^{N_n} \quad \text{CHECK_PAT_CONSTR}
\end{array}$$

$$\begin{array}{c}
E^T(id) \triangleright \{tid_1 \mapsto kinf_1, \dots, tid_m \mapsto kinf_m\}, \Sigma^N, \mathbf{Ctor}, \mathbf{unit} \rightarrow x \langle t_arg_1 \dots t_arg_m \rangle \mathbf{pure} \\
\mathbf{unit} \rightarrow x \langle t_args' \rangle \mathbf{pure} \equiv \mathbf{unit} \rightarrow x \langle t_args \rangle \mathbf{pure}[t_arg_1/tid_1 \dots t_arg_m/tid_m] \\
E^D \vdash x \langle t_args' \rangle \approx t, \Sigma^N \\
\hline
\langle E^T, E^D \rangle, t \vdash id : t \triangleright id, \{\}, \Sigma^N \quad \text{CHECK_PAT_IDENTCONSTR}
\end{array}$$

$$\begin{array}{c}
E^T(id) \triangleright \{\}, \{\}, \mathbf{Default}, t \\
E^D \vdash t \approx u, \Sigma^N \\
\hline
\langle E^T, E^D \rangle, u \vdash id : t \triangleright id, (E^T \uplus \{id \mapsto t\}), \Sigma^N \quad \text{CHECK_PAT_VARDEFAULT}
\end{array}$$

$$\begin{array}{c}
\langle E^T, E^D \rangle, t \vdash id : t \triangleright id, (E^T \uplus \{id \mapsto t\}), \{\} \\
\hline
\text{CHECK_PAT_VAR}
\end{array}$$

$$\begin{array}{c}
E^R(\overline{id}_i^i) \triangleright x \langle t_args \rangle, (\overline{t}_i^i) \\
\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle, t_i \vdash pat_i : u_i \triangleright pat'_i, E^{T_i}, \Sigma^{N_i^i} \\
\mathbf{disjoint doms} (\overline{E^{T_i^i}}) \\
\langle E^K, E^A, E^R, E^E \rangle \vdash x \langle t_args \rangle \approx t, \Sigma^N \\
\hline
\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle, t \vdash \{\overline{id}_i = pat_i^i ; ?\} : x \langle t_args \rangle \triangleright \{\overline{id}_i = pat'_i^i ; ?\}, \uplus \overline{E^{T_i^i}}, \Sigma^N \uplus \overline{\Sigma^{N_i^i}} \quad \text{CHECK_PAT_RECORD}
\end{array}$$

$$\begin{array}{l}
\langle E^T, E^D \rangle, t \vdash pat_1 : u_1 \triangleright pat'_1, E^T_1, \Sigma^N_1 \quad \dots \quad \langle E^T, E^D \rangle, t \vdash pat_n : u_n \triangleright pat'_n, E^T_n, \Sigma^N_n \\
\mathbf{disjoint\ doms} (E^T_1, \dots, E^T_n) \\
E^D \vdash u_1 \lesssim t, \Sigma^{N'}_1 \quad \dots \quad E^D \vdash u_n \lesssim t, \Sigma^{N'}_n \\
ne_4 \equiv \mathbf{length} (pat_1 \dots pat_n) \\
\Sigma^N \equiv \Sigma^N_1 \uplus \dots \uplus \Sigma^N_n \\
\Sigma^{N'} \equiv \Sigma^{N'}_1 \uplus \dots \uplus \Sigma^{N'}_n
\end{array}$$

$$\langle E^T, E^D \rangle, \mathbf{vector} \langle ne_1 \ ne_2 \ order \ t \rangle \vdash [pat_1, \dots, pat_n] : \mathbf{vector} \langle ne_3 \ ne_4 \ order \ u \rangle \triangleright [pat'_1, \dots, pat'_n], (E^T_1 \uplus \dots \uplus E^T_n), \Sigma^N \uplus \Sigma^{N'} \uplus \{ne_2 = ne_4\}$$

CHECK_PAT_VECTOR

$$\begin{array}{l}
\langle E^T, E^D \rangle, t \vdash pat_1 : u_1 \triangleright pat'_1, E^T_1, \Sigma^N_1 \quad \dots \quad \langle E^T, E^D \rangle, t \vdash pat_n : u_n \triangleright pat'_n, E^T_n, \Sigma^N_n \\
E^D \vdash u_1 \lesssim t, \Sigma^{N'}_1 \quad \dots \quad E^D \vdash u_n \lesssim t, \Sigma^{N'}_n \\
ne_4 \equiv \mathbf{length} (pat_1 \dots pat_n) \\
\mathbf{disjoint\ doms} (E^T_1, \dots, E^T_n) \\
num_1 < \dots < num_n \\
\Sigma^N \equiv \Sigma^N_1 \uplus \dots \uplus \Sigma^N_n \\
\Sigma^{N'} \equiv \Sigma^{N'}_1 \uplus \dots \uplus \Sigma^{N'}_n
\end{array}$$

$$\langle E^T, E^D \rangle, \mathbf{vector} \langle ne_1 \ ne_2 \ \mathbf{inc} \ t \rangle \vdash [num_1 = pat_1, \dots, num_n = pat_n] : \mathbf{vector} \langle ne_3 \ ne_4 \ \mathbf{inc} \ t \rangle \triangleright [num_1 = pat'_1, \dots, num_n = pat'_n], (E^T_1 \uplus \dots \uplus E^T_n), \{ne_1 \leq num_1, ne_2 \geq ne_4\} \uplus \dots$$

$$\begin{array}{l}
\langle E^T, E^D \rangle, t \vdash pat_1 : u_1 \triangleright pat'_1, E^T_1, \Sigma^N_1 \quad \dots \quad \langle E^T, E^D \rangle, t \vdash pat_n : u_n \triangleright pat'_n, E^T_n, \Sigma^N_n \\
E^D \vdash u_1 \lesssim t, \Sigma^{N'}_1 \quad \dots \quad E^D \vdash u_n \lesssim t, \Sigma^{N'}_n \\
ne_4 \equiv \mathbf{length} (pat_1 \dots pat_n) \\
\mathbf{disjoint\ doms} (E^T_1, \dots, E^T_n) \\
num_1 > \dots > num_n \\
\Sigma^N \equiv \Sigma^N_1 \uplus \dots \uplus \Sigma^N_n \\
\Sigma^{N'} \equiv \Sigma^{N'}_1 \uplus \dots \uplus \Sigma^{N'}_n
\end{array}$$

$$\langle E^T, E^D \rangle, \mathbf{vector} \langle ne_1 \ ne_2 \ \mathbf{dec} \ t \rangle \vdash [num_1 = pat_1, \dots, num_n = pat_n] : \mathbf{vector} \langle ne_3 \ ne_4 \ \mathbf{dec} \ t \rangle \triangleright [num_1 = pat'_1, \dots, num_n = pat'_n], (E^T_1 \uplus \dots \uplus E^T_n), \{ne_1 \geq num_1, ne_2 \geq ne_4\} \uplus \dots$$

$$\begin{array}{l}
\langle E^T, E^D \rangle, \mathbf{vector} \langle ne''_1 \ ne'''_1 \ order \ t \rangle \vdash pat_1 : \mathbf{vector} \langle ne''_1 \ ne'_1 \ order \ u_1 \rangle \triangleright pat'_1, E^T_1, \Sigma^N_1 \quad \dots \quad \langle E^T, E^D \rangle, \mathbf{vector} \langle ne''_n \ ne'''_n \ order \ t \rangle \vdash pat_n : \mathbf{vector} \langle ne''_n \ ne'_n \ order \ u_1 \rangle \triangleright pat'_n, E^T_n, \Sigma^N_n \\
E^D \vdash u_1 \lesssim t, \Sigma^{N'}_1 \quad \dots \quad E^D \vdash u_n \lesssim t, \Sigma^{N'}_n \\
\mathbf{disjoint\ doms} (E^T_1, \dots, E^T_n) \\
\Sigma^N \equiv \Sigma^N_1 \uplus \dots \uplus \Sigma^N_n \\
\Sigma^{N'} \equiv \Sigma^{N'}_1 \uplus \dots \uplus \Sigma^{N'}_n
\end{array}$$

$$\langle E^T, E^D \rangle, \mathbf{vector} \langle ne_1 \ ne_2 \ order \ t \rangle \vdash pat_1 : \dots : pat_n : \mathbf{vector} \langle ne_1 \ ne_4 \ order \ t \rangle \triangleright pat'_1 : \dots : pat'_n, (E^T_1 \uplus \dots \uplus E^T_n), \{ne'_1 + \dots + ne'_n \leq ne_2\} \uplus \Sigma^N \uplus \Sigma^{N'}$$

$$\begin{array}{c}
E, t_1 \vdash pat_1 : u_1 \triangleright pat'_1, E^{T_1}, \Sigma^{N_1} \quad \dots \quad E, t_n \vdash pat_n : u_n \triangleright pat'_n, E^{T_n}, \Sigma^{N_n} \\
\text{disjoint doms } (E^{T_1}, \dots, E^{T_n}) \\
\hline
E, (t_1, \dots, t_n) \vdash (pat_1, \dots, pat_n) : (u_1, \dots, u_n) \triangleright (pat'_1, \dots, pat'_n), (E^{T_1} \uplus \dots \uplus E^{T_n}), \Sigma^{N_1} \uplus \dots \uplus \Sigma^{N_n} \quad \text{CHECK_PAT_TUP} \\
\langle E^T, E^D \rangle, t \vdash pat_1 : u_1 \triangleright pat'_1, E^{T_1}, \Sigma^{N_1} \quad \dots \quad \langle E^T, E^D \rangle, t \vdash pat_n : u_n \triangleright pat'_n, E^{T_n}, \Sigma^{N_n} \\
\text{disjoint doms } (E^{T_1}, \dots, E^{T_n}) \\
E^D \vdash u_1 \lesssim t, \Sigma^{N'_1} \quad \dots \quad E^D \vdash u_n \lesssim t, \Sigma^{N'_n} \\
\text{disjoint doms } (E^{T_1}, \dots, E^{T_n}) \\
\Sigma^N \equiv \Sigma^{N_1} \uplus \dots \uplus \Sigma^{N_n} \\
\Sigma^{N'} \equiv \Sigma^{N'_1} \uplus \dots \uplus \Sigma^{N'_n} \\
\hline
\langle E^T, E^D \rangle, \text{list } \langle t \rangle \vdash [||pat_1, \dots, pat_n||] : \text{list } \langle t \rangle \triangleright [||pat'_1, \dots, pat'_n||], (E^{T_1} \uplus \dots \uplus E^{T_n}), \Sigma^N \uplus \Sigma^{N'} \quad \text{CHECK_PAT_LIST}
\end{array}$$

$E, t \vdash exp : t' \triangleright exp', I, E^T$

Typing expressions, collecting nexp constraints, effects, and new bindings

$$\begin{array}{c}
E^T(id) \triangleright \{tid_0 \mapsto kinf_0, \dots, tid_n \mapsto kinf_n\}, \{\}, \mathbf{Ctor}, \mathbf{unit} \rightarrow x \langle t_args \rangle \mathbf{pure} \\
u \equiv x \langle t_args \rangle [t_arg_0/tid_0 \dots t_arg_n/tid_n] \\
E^D \vdash u \lesssim t, \Sigma^N \\
\hline
\langle E^T, E^D \rangle, t \vdash id : x \triangleright id, \langle \Sigma^N, \mathbf{pure} \rangle, \{\} \quad \text{CHECK_EXP_UNARYCTOR} \\
\begin{array}{c}
E^T(id) \triangleright \{\}, \{\}, tag, u \\
E^D, t \vdash id : u \triangleright t', exp, \Sigma^N, effect \\
\hline
\langle E^T, E^D \rangle, t \vdash id : u \triangleright id, \langle \Sigma^N, effect \rangle, \{\} \quad \text{CHECK_EXP_LOCALVAR}
\end{array} \\
\begin{array}{c}
E^T(id) \triangleright \{tid_1 \mapsto kinf_1, \dots, tid_n \mapsto kinf_n\}, \Sigma^N, tag, u' \\
u \equiv u' [t_arg_1/tid_1 \dots t_arg_n/tid_n] \\
E^D, t \vdash id : u \triangleright t', exp, \Sigma^{N'}, effect \\
\hline
\langle E^T, E^D \rangle, t \vdash id : u \triangleright id, \langle \Sigma^N \uplus \Sigma^{N'}, effect \rangle, \{\} \quad \text{CHECK_EXP_OTHERVAR}
\end{array} \\
\begin{array}{c}
E^T(id) \triangleright \{tid_0 \mapsto kinf_0, \dots, tid_n \mapsto kinf_n\}, \{\}, \mathbf{Ctor}, t'' \rightarrow x \langle t_args \rangle \mathbf{pure} \\
t' \rightarrow u \mathbf{pure} \equiv t'' \rightarrow x \langle t_args \rangle \mathbf{pure} [t_arg_0/tid_0 \dots t_arg_n/tid_n] \\
E^D \vdash u \lesssim t, \Sigma^N \\
\langle E^T, E^D \rangle, t' \vdash exp : u' \triangleright exp, \langle \Sigma^{N'}, effect \rangle, E^{T'} \\
\hline
\langle E^T, E^D \rangle, t \vdash id(exp) : t \triangleright id(exp'), \langle \Sigma^N \uplus \Sigma^{N'}, effect \rangle, \{\} \quad \text{CHECK_EXP_CTOR}
\end{array}
\end{array}$$

$$\begin{array}{c}
E^T(id) \triangleright \{tid_0 \mapsto kinf_0, \dots, tid_n \mapsto kinf_n\}, \Sigma^N, tag, u \\
u[t_arg_0/tid_0 .. t_arg_n/tid_n] \equiv u_i \rightarrow u_j \text{ effect} \\
u_i \equiv (\mathbf{implicit} \langle ne \rangle, t_0, \dots, t_m) \\
\langle E^T, E^D \rangle, (t_0, \dots, t_m) \vdash (exp_0, \dots, exp_m) : u'_i \triangleright (exp'_0, \dots, exp'_m), I, E^{T'} \\
E^D, t \vdash id(annot, exp'_0, \dots, exp'_m) : u_j \triangleright u'_j, exp'', \Sigma^{N'}, effect' \\
\hline
\langle E^T, E^D \rangle, t \vdash id(exp_0, \dots, exp_m) : u_j \triangleright exp'', I \uplus \langle \Sigma^N, effect \rangle \uplus \langle \Sigma^{N'}, effect' \rangle, E^T
\end{array}$$

CHECK_EXP_APPIMPLICIT

$$\begin{array}{c}
E^T(id) \triangleright \{tid_0 \mapsto kinf_0, \dots, tid_n \mapsto kinf_n\}, \Sigma^N, tag, u \\
u[t_arg_0/tid_0 .. t_arg_n/tid_n] \equiv u_i \rightarrow u_j \text{ effect} \\
\langle E^T, E^D \rangle, u_i \vdash exp : u'_i \triangleright exp', I, E^{T'} \\
E^D, t \vdash id(exp') : u_j \triangleright u'_j, exp'', \Sigma^{N'}, effect' \\
\hline
\langle E^T, E^D \rangle, t \vdash id(exp) : u_j \triangleright exp'', I \uplus \langle \Sigma^N, effect \rangle \uplus \langle \Sigma^{N'}, effect' \rangle, E^T
\end{array}$$

CHECK_EXP_APP

$$\begin{array}{c}
E^T(id) \triangleright \mathbf{overload} \{tid_0 \mapsto kinf_0, \dots, tid_n \mapsto kinf_n\}, \Sigma^N, tag, u : tinf_1 \dots tinf_n \\
u[t_arg_0/tid_0 .. t_arg_n/tid_n] \equiv u_i \rightarrow u_j \text{ effect} \\
\langle E^T, E^D \rangle, u_i \vdash exp : u'_i \triangleright exp', I, E^{T'}
\end{array}$$

<<no parses (char 3): sel***ect (conformsto(ui', t)) of tinf1 ... tinfn gives tinf >>

$$\langle (\{id \mapsto tinf\} \uplus E^T), E^D \rangle, t \vdash id(exp) : t' \triangleright exp'', I', E^{T''}$$

$$\langle E^T, E^D \rangle, t \vdash id(exp) : u_j \triangleright exp'', I \uplus I' \uplus \langle \Sigma^N, effect \rangle \uplus \langle \Sigma^{N'}, effect' \rangle, E^T$$

CHECK_EXP_APPOVERLOAD

$$\begin{array}{c}
E^T(id) \triangleright \{tid_0 \mapsto kinf_0, \dots, tid_n \mapsto kinf_n\}, \Sigma^N, tag, u \\
u[t_arg_0/tid_0 .. t_arg_n/tid_n] \equiv u_i \rightarrow u_j \text{ effect} \\
\langle E^T, E^D \rangle, u_i \vdash (exp_1, exp_2) : u'_i \triangleright (exp'_1, exp'_2), I, E^{T'} \\
E^D, t \vdash exp'_1 id exp'_2 : u_j \triangleright u'_j, exp, \Sigma^{N'}, effect' \\
\hline
\langle E^T, E^D \rangle, t \vdash exp_1 id exp_2 : t \triangleright exp, I \uplus \langle \Sigma^N, effect \rangle \uplus \langle \Sigma^{N'}, effect' \rangle, E^T
\end{array}$$

CHECK_EXP_INFIX_APP

$$\begin{array}{c}
E^T(id) \triangleright \mathbf{overload} \{tid_0 \mapsto kinf_0, \dots, tid_n \mapsto kinf_n\}, \Sigma^N, tag, u : tinf_1 \dots tinf_n \\
u[t_arg_0/tid_0 .. t_arg_n/tid_n] \equiv u_i \rightarrow u_j \text{ effect} \\
\langle E^T, E^D \rangle, u_i \vdash (exp_1, exp_2) : u'_i \triangleright (exp'_1, exp'_2), I, E^{T'}
\end{array}$$

<<no parses (char 3): sel***ect (conformsto(ui', t)) of tinf1 ... tinfn gives tinf >>

$$\langle (\{id \mapsto tinf\} \uplus E^T), E^D \rangle, t \vdash exp_1 id exp_2 : t' \triangleright exp, I', E^{T''}$$

$$\langle E^T, E^D \rangle, t \vdash exp_1 id exp_2 : t \triangleright exp, I \uplus I \uplus \langle \Sigma^N, effect \rangle \uplus \langle \Sigma^{N'}, effect' \rangle, E^T$$

CHECK_EXP_INFIX_APPOVERLOAD

$$\begin{array}{c}
E^R(\overline{id_i^i}) \triangleright x \langle t_args \rangle, \overline{t_i^i} \\
\hline
\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle, t_i \vdash \text{exp}_i : u_i \triangleright \text{exp}'_i, \langle \Sigma^N_i, \text{effect}_i \rangle, E^T{}^i \\
\langle E^K, E^A, E^R, E^E \rangle \vdash u_i \lesssim t_i, \Sigma^{N'}_i{}^i \\
\Sigma^N \equiv \uplus \overline{\Sigma^N_i}{}^i \\
\Sigma^{N'} \equiv \uplus \overline{\Sigma^{N'}_i}{}^i
\end{array}$$

$$\frac{}{\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle, t \vdash \{\overline{id_i = \text{exp}_i^i ; ?}\} : x \langle t_args \rangle \triangleright \{\overline{id_i = \text{exp}'_i^i ; ?}\}, \uplus \langle \Sigma^N \uplus \Sigma^{N'}, \uplus \overline{\text{effect}_i^i} \rangle, \{\}} \text{CHECK_EXP_RECORD}$$

$$\begin{array}{c}
\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle, t \vdash \text{exp} : x \langle t_args \rangle \triangleright \text{exp}', I, E^T \\
E^R(x \langle t_args \rangle) \triangleright \overline{id'_n : t'_n}{}^n \\
\hline
\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle, t_i \vdash \text{exp}_i : u_i \triangleright \text{exp}'_i, I_i, E^T{}^i \\
\overline{id_i : t_i^i} \subset \overline{id'_n : t'_n}{}^n \\
\hline
\langle E^K, E^A, E^R, E^E \rangle \vdash u_i \lesssim t_i, \Sigma^{N'}_i{}^i
\end{array}$$

$$\frac{}{\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle, t \vdash \{\text{exp with } \overline{id_i = \text{exp}_i^i ; ?}\} : x \langle t_args \rangle \triangleright \{\text{exp}' \text{ with } \overline{id_i = \text{exp}'_i^i}\}, I \uplus \overline{I_i^i}, E^T} \text{CHECK_EXP_RECUP}$$

$$\begin{array}{c}
\langle E^T, E^D \rangle, t \vdash \text{exp}_1 : u_1 \triangleright \text{exp}'_1, I_1, E^{T'} \quad \dots \quad \langle E^T, E^D \rangle, t \vdash \text{exp}_n : u_n \triangleright \text{exp}'_n, I_n, E^{T'} \\
E^D \vdash u_1 \lesssim t, \Sigma^N_1 \quad \dots \quad E^D \vdash u_n \lesssim t, \Sigma^N_n \\
\text{length}(\text{exp}_1 \dots \text{exp}_n) \equiv ne \\
\Sigma^N \equiv \{ne = ne_2\} \uplus \Sigma^N_1 \uplus \dots \uplus \Sigma^N_n
\end{array}$$

$$\frac{}{E, \mathbf{vector} \langle ne_1 \ ne_2 \ \text{order } t \rangle \vdash [\text{exp}_1, \dots, \text{exp}_n] : \mathbf{vector} \langle ne_1 \ \text{num } \text{order } t \rangle \triangleright [\text{exp}'_1, \dots, \text{exp}'_n], \langle \Sigma^N, \mathbf{pure} \rangle \uplus I_1 \uplus \dots \uplus I_n, E^T} \text{CHECK_EXP_VECTOR}$$

$$\begin{array}{c}
E, \mathbf{vector} \langle ne \ ne' \ \text{order } t \rangle \vdash \text{exp}_1 : \mathbf{vector} \langle ne_1 \ ne'_1 \ \mathbf{inc } u \rangle \triangleright \text{exp}'_1, I_1, E^T \\
E, \mathbf{range} \langle ne_2 \ ne'_2 \rangle \vdash \text{exp}_2 : \mathbf{range} \langle ne_3 \ ne'_3 \rangle \triangleright \text{exp}'_2, I_2, E^T
\end{array}$$

$$\frac{}{E, t \vdash \text{exp}_1[\text{exp}_2] : u \triangleright \text{exp}'_1[\text{exp}'_2], I_1 \uplus I_2 \uplus \langle \{ne_1 \leq ne_3, ne_3 + ne'_3 \leq ne_1 + ne'_1\}, \mathbf{pure} \rangle, E^T} \text{CHECK_EXP_VECTORGETINC}$$

$$\begin{array}{c}
E, \mathbf{vector} \langle ne \ ne' \ \text{order } t \rangle \vdash \text{exp}_1 : \mathbf{vector} \langle ne_1 \ ne'_1 \ \mathbf{dec } u \rangle \triangleright \text{exp}'_1, I_1, E^T \\
E, \mathbf{range} \langle ne_2 \ ne'_2 \rangle \vdash \text{exp}_2 : \mathbf{range} \langle ne_3 \ ne'_3 \rangle \triangleright \text{exp}'_2, I_2, E^T
\end{array}$$

$$\frac{}{E, t \vdash \text{exp}_1[\text{exp}_2] : u \triangleright \text{exp}'_1[\text{exp}'_2], I_1 \uplus I_2 \uplus \langle \{ne_1 \geq ne_3, ne_3 + (-ne'_3) \leq ne_1 + (-ne'_1)\}, \mathbf{pure} \rangle, E^T} \text{CHECK_EXP_VECTORGETDEC}$$

$$\begin{array}{c}
E, \mathbf{vector} \langle ne_1 \ ne'_1 \ \mathbf{inc } t \rangle \vdash \text{exp}_1 : \mathbf{vector} \langle ne_2 \ ne'_2 \ \mathbf{inc } u \rangle \triangleright \text{exp}'_1, I_1, E^T \\
E, \mathbf{range} \langle ne_3 \ ne'_3 \rangle \vdash \text{exp}_2 : \mathbf{range} \langle ne_4 \ ne'_4 \rangle \triangleright \text{exp}'_2, I_2, E^T \\
E, \mathbf{range} \langle ne_5 \ ne'_5 \rangle \vdash \text{exp}_3 : \mathbf{range} \langle ne_6 \ ne'_6 \rangle \triangleright \text{exp}'_3, I_3, E^T
\end{array}$$

$$\frac{}{E, \mathbf{vector} \langle ne \ ne' \ \mathbf{inc } t \rangle \vdash \text{exp}_1[\text{exp}_2 \dots \text{exp}_3] : \mathbf{vector} \langle ne_7 \ ne'_7 \ \mathbf{inc } u \rangle \triangleright \text{exp}'_1[\text{exp}'_2 : \text{exp}'_3], I_1 \uplus I_2 \uplus I_3 \uplus \langle \{ne \geq ne_4, ne \leq ne'_4, ne' \leq ne_4 + ne'_6, ne_4 \leq ne_2, ne_4 + ne'_6 \leq ne'_2\}, \mathbf{pure} \rangle, E^T}$$

$$\begin{array}{l}
E, \mathbf{vector} \langle ne_1 ne'_1 \mathbf{dec} t \rangle \vdash exp_1 : \mathbf{vector} \langle ne_2 ne'_2 \mathbf{dec} u \rangle \triangleright exp'_1, I_1, E^T \\
E, \mathbf{range} \langle ne_3 ne'_3 \rangle \vdash exp_2 : \mathbf{range} \langle ne_4 ne'_4 \rangle \triangleright exp'_2, I_2, E^T \\
E, \mathbf{range} \langle ne_5 ne'_5 \rangle \vdash exp_3 : \mathbf{range} \langle ne_6 ne'_6 \rangle \triangleright exp'_3, I_3, E^T
\end{array}$$

$$\overline{E, \mathbf{vector} \langle ne ne' \mathbf{dec} t \rangle \vdash exp_1[exp_2..exp_3] : \mathbf{vector} \langle ne_7 ne'_7 \mathbf{dec} u \rangle \triangleright exp'_1[exp'_2 : exp'_3], I_1 \uplus I_2 \uplus I_3 \uplus \langle \{ne \leq ne_4, ne \geq ne'_4, ne' \leq ne'_6 + (-ne_4), ne'_4 \geq ne_2, ne'_6 + (-ne_4) \leq ne_2\} \rangle, E^T}$$

$$\begin{array}{l}
E, \mathbf{vector} \langle ne ne' \mathbf{inc} t \rangle \vdash exp : \mathbf{vector} \langle ne_1 ne_2 \mathbf{inc} u \rangle \triangleright exp', I, E^T \\
E, \mathbf{range} \langle ne'_1 ne'_2 \rangle \vdash exp_1 : \mathbf{range} \langle ne_3 ne_4 \rangle \triangleright exp'_1, I_1, E^T \\
E, t \vdash exp_2 : u \triangleright exp'_2, I_2, E^T
\end{array}$$

$$\overline{E, \mathbf{vector} \langle ne ne' \mathbf{inc} t \rangle \vdash [exp \mathbf{with} exp_1 = exp_2] : \mathbf{vector} \langle ne_1 ne_2 \mathbf{inc} u \rangle \triangleright [exp' \mathbf{with} exp'_1 = exp'_2], I \uplus I_1 \uplus I_2 \uplus \langle \{ne_1 \leq ne_3, ne_2 \geq ne_4\}, \mathbf{pure} \rangle, E^T} \quad \text{CHECK_EXP_VECTORU}$$

$$\begin{array}{l}
E, \mathbf{vector} \langle ne ne' \mathbf{dec} t \rangle \vdash exp : \mathbf{vector} \langle ne_1 ne_2 \mathbf{dec} u \rangle \triangleright exp', I, E^T \\
E, \mathbf{range} \langle ne'_1 ne'_2 \rangle \vdash exp_1 : \mathbf{range} \langle ne_3 ne_4 \rangle \triangleright exp'_1, I_1, E^T \\
E, t \vdash exp_2 : u \triangleright exp'_2, I_2, E^T
\end{array}$$

$$\overline{E, \mathbf{vector} \langle ne ne' \mathbf{dec} t \rangle \vdash [exp \mathbf{with} exp_1 = exp_2] : \mathbf{vector} \langle ne_1 ne_2 \mathbf{dec} u \rangle \triangleright [exp' \mathbf{with} exp'_1 = exp'_2], I \uplus I_1 \uplus I_2 \uplus \langle \{ne_1 \geq ne_3, ne_2 \geq ne_4\}, \mathbf{pure} \rangle, E^T} \quad \text{CHECK_EXP_VECTOR}$$

$$\begin{array}{l}
E, \mathbf{vector} \langle ne_1 ne_2 \mathbf{order} t \rangle \vdash exp : \mathbf{vector} \langle ne_3 ne_4 \mathbf{inc} u \rangle \triangleright exp', I, E^T \\
E, \mathbf{atom} \langle ne_5 \rangle \vdash exp_1 : \mathbf{atom} \langle ne_6 \rangle \triangleright exp'_1, I_1, E^T \\
E, \mathbf{atom} \langle ne_7 \rangle \vdash exp_2 : \mathbf{atom} \langle ne_8 \rangle \triangleright exp'_2, I_2, E^T \\
E, \mathbf{vector} \langle ne_9 ne_{10} \mathbf{inc} t \rangle \vdash exp_3 : \mathbf{vector} \langle ne_{11} ne_{12} \mathbf{inc} u \rangle \triangleright exp'_3, I_3, E^T \\
I_4 \equiv \langle \{ne_3 \leq ne_5, ne_3 + ne_4 \leq ne_7, ne_{12} = ne_8 + (-ne_6), ne_6 + \mathbf{one} \leq ne_8\}, \mathbf{pure} \rangle
\end{array}$$

$$\overline{E, \mathbf{vector} \langle ne_1 ne_2 \mathbf{order} t \rangle \vdash [exp \mathbf{with} exp_1 : exp_2 = exp_3] : \mathbf{vector} \langle ne_3 ne_4 \mathbf{inc} u \rangle \triangleright [exp' \mathbf{with} exp'_1 : exp'_2 = exp'_3], I \uplus I_1 \uplus I_2 \uplus I_3 \uplus I_4, E^T} \quad \text{CHECK_EXP_VECRANGEUPINC}$$

$$\begin{array}{l}
E, \mathbf{vector} \langle ne_1 ne_2 \mathbf{order} t \rangle \vdash exp : \mathbf{vector} \langle ne_3 ne_4 \mathbf{inc} u \rangle \triangleright exp', I, E^T \\
E, \mathbf{atom} \langle ne_5 \rangle \vdash exp_1 : \mathbf{atom} \langle ne_6 \rangle \triangleright exp'_1, I_1, E^T \\
E, \mathbf{atom} \langle ne_7 \rangle \vdash exp_2 : \mathbf{atom} \langle ne_8 \rangle \triangleright exp'_2, I_2, E^T \\
E, u \vdash exp_3 : u' \triangleright exp'_3, I_3, E^T \\
I_4 \equiv \langle \{ne_3 \leq ne_5, ne_3 + ne_4 \leq ne_7\}, \mathbf{pure} \rangle
\end{array}$$

$$\overline{E, \mathbf{vector} \langle ne_1 ne_2 \mathbf{order} t \rangle \vdash [exp \mathbf{with} exp_1 : exp_2 = exp_3] : \mathbf{vector} \langle ne_3 ne_4 \mathbf{inc} u \rangle \triangleright [exp' \mathbf{with} exp'_1 : exp'_2 = exp'_3], I \uplus I_1 \uplus I_2 \uplus I_3 \uplus I_4, E^T} \quad \text{CHECK_EXP_VECRANGEUPVALU}$$

$$\begin{array}{l}
E, \mathbf{vector} \langle ne_1 ne_2 \mathbf{order} t \rangle \vdash exp : \mathbf{vector} \langle ne_3 ne_4 \mathbf{dec} u \rangle \triangleright exp', I, E^T \\
E, \mathbf{atom} \langle ne_5 \rangle \vdash exp_1 : \mathbf{atom} \langle ne_6 \rangle \triangleright exp'_1, I_1, E^T \\
E, \mathbf{atom} \langle ne_7 \rangle \vdash exp_2 : \mathbf{atom} \langle ne_8 \rangle \triangleright exp'_2, I_2, E^T \\
E, \mathbf{vector} \langle ne_9 ne_{10} \mathbf{dec} t \rangle \vdash exp_3 : \mathbf{vector} \langle ne_{11} ne_{12} \mathbf{dec} u \rangle \triangleright exp'_3, I_3, E^T \\
I_4 \equiv \langle \{ne_5 \leq ne_3, ne_3 + (-ne_4) \leq ne_6 + (-ne_8), ne_8 + \mathbf{one} \leq ne_6\}, \mathbf{pure} \rangle
\end{array}$$

$$\overline{E, \mathbf{vector} \langle ne_1 ne_2 \mathbf{order} t \rangle \vdash [exp \mathbf{with} exp_1 : exp_2 = exp_3] : \mathbf{vector} \langle ne_3 ne_4 \mathbf{dec} u \rangle \triangleright [exp' \mathbf{with} exp'_1 : exp'_2 = exp'_3], I \uplus I_1 \uplus I_2 \uplus I_3 \uplus I_4, E^T} \quad \text{CHECK_EXP_VECRANGEUPDEC}$$

$$\begin{array}{c}
E, \mathbf{vector} \langle ne_1 ne_2 \text{ order } t \rangle \vdash \mathbf{exp} : \mathbf{vector} \langle ne_3 ne_4 \mathbf{dec} u \rangle \triangleright \mathbf{exp}', I, E^T \\
E, \mathbf{atom} \langle ne_5 \rangle \vdash \mathbf{exp}_1 : \mathbf{atom} \langle ne_6 \rangle \triangleright \mathbf{exp}'_1, I_1, E^T \\
E, \mathbf{atom} \langle ne_7 \rangle \vdash \mathbf{exp}_2 : \mathbf{atom} \langle ne_8 \rangle \triangleright \mathbf{exp}'_2, I_2, E^T \\
E, u \vdash \mathbf{exp}_3 : u' \triangleright \mathbf{exp}'_3, I_3, E^T \\
I_4 \equiv \langle \{ ne_5 \leq ne_3, ne_3 + (-ne_4) \leq ne_6 + (-ne_8), ne_8 + \mathbf{one} \leq ne_6 \}, \mathbf{pure} \rangle \\
\hline
E, \mathbf{vector} \langle ne_1 ne_2 \text{ order } t \rangle \vdash [\mathbf{exp} \mathbf{with} \mathbf{exp}_1 : \mathbf{exp}_2 = \mathbf{exp}_3] : \mathbf{vector} \langle ne_3 ne_4 \mathbf{dec} u \rangle \triangleright [\mathbf{exp}' \mathbf{with} \mathbf{exp}'_1 : \mathbf{exp}'_2 = \mathbf{exp}'_3], I \uplus I_1 \uplus I_2 \uplus I_3 \uplus I_4, E^T \quad \text{CHECK_EXP_VECRANGEUPVAL}
\end{array}$$

$$\begin{array}{c}
E^R(x \langle t_args \rangle) \triangleright \overline{id_i : t_i^i} \text{ id} : u \overline{id'_j : t'_j^j} \\
\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle, t'' \vdash \mathbf{exp} : x \langle t_args \rangle \triangleright \mathbf{exp}', I, E^T \\
E^D, t \vdash \mathbf{exp}' \text{.id} : u \triangleright t', \mathbf{exp}'_1, \Sigma^{N'}, \mathbf{effect} \\
\hline
\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle, t \vdash \mathbf{exp} \text{.id} : u \triangleright \mathbf{exp}'_1, I \uplus \langle \Sigma^{N'}, \mathbf{effect} \rangle, E^T \quad \text{CHECK_EXP_FIELD}
\end{array}$$

$$\begin{array}{c}
\langle E^T, E^D \rangle, t'' \vdash \mathbf{exp} : u \triangleright \mathbf{exp}', I, E^T \\
\langle E^T, E^D \rangle, u \vdash \mathbf{pat}_i : u'_i \triangleright \mathbf{pat}'_i, E^{T_i}, \Sigma^{N_i^i} \\
\hline
\langle \langle E^T \uplus E^{T_i} \rangle, E^D \rangle, t \vdash \mathbf{exp}_i : u''_i \triangleright \mathbf{exp}'_i, I_i, E^{T_i^i} \\
\hline
\langle E^T, E^D \rangle, t \vdash \mathbf{switch} \mathbf{exp} \{ \mathbf{case} \mathbf{pat}_i \rightarrow \mathbf{exp}_i^i \} : u \triangleright \mathbf{switch} \mathbf{exp}' \{ \mathbf{case} \mathbf{pat}'_i \rightarrow \mathbf{exp}'_i^i \}, I \uplus I_i \uplus \langle \Sigma^{N_i}, \mathbf{pure} \rangle^i, E^T \quad \text{CHECK_EXP_CASE}
\end{array}$$

$$\begin{array}{c}
\langle E^T, E^D \rangle, t'' \vdash \mathbf{exp} : u \triangleright \mathbf{exp}', I, E^T \\
E^D \vdash \mathbf{typ} \rightsquigarrow t' \\
E^D, t' \vdash \mathbf{exp}' : u \triangleright u', \mathbf{exp}'', \Sigma^N, \mathbf{effect} \\
E^D, t \vdash \mathbf{exp}'' : t' \triangleright u'', \mathbf{exp}''', \Sigma^{N'}, \mathbf{effect}' \\
\hline
\langle E^T, E^D \rangle, t \vdash (\mathbf{typ}) \mathbf{exp} : t \triangleright \mathbf{exp}''', I \uplus \langle \Sigma^N \uplus \Sigma^{N'}, \mathbf{effect} \uplus \mathbf{effect}' \rangle, E^T \quad \text{CHECK_EXP_TYPED}
\end{array}$$

$$\begin{array}{c}
\langle E^T, E^D \rangle \vdash \mathbf{letbind} \triangleright \mathbf{letbind}', E^{T_1}, \Sigma^N, \mathbf{effect}, \{ \} \\
\langle \langle E^T \uplus E^{T_1} \rangle, E^D \rangle, t \vdash \mathbf{exp} : u \triangleright \mathbf{exp}', I_2, E^{T_2} \\
\hline
\langle E^T, E^D \rangle, t \vdash \mathbf{letbind} \mathbf{in} \mathbf{exp} : t \triangleright \mathbf{letbind}' \mathbf{in} \mathbf{exp}', \langle \Sigma^N, \mathbf{effect} \rangle \uplus I_2, E^T \quad \text{CHECK_EXP_LET}
\end{array}$$

$$\begin{array}{c}
E, t_1 \vdash \mathbf{exp}_1 : u_1 \triangleright \mathbf{exp}'_1, I_1, E^{T_1} \quad \dots \quad E, t_n \vdash \mathbf{exp}_n : u_n \triangleright \mathbf{exp}'_n, I_n, E^{T_n} \\
\hline
E, (t_1, \dots, t_n) \vdash (\mathbf{exp}_1, \dots, \mathbf{exp}_n) : (u_1, \dots, u_n) \triangleright (\mathbf{exp}'_1, \dots, \mathbf{exp}'_n), I_1 \uplus \dots \uplus I_n, E^T \quad \text{CHECK_EXP_TUP}
\end{array}$$

$$\begin{array}{c}
\langle E^T, E^D \rangle, t \vdash \mathbf{exp}_1 : u_1 \triangleright \mathbf{exp}'_1, I_1, E^{T_1} \quad \dots \quad \langle E^T, E^D \rangle, t \vdash \mathbf{exp}_n : u_n \triangleright \mathbf{exp}'_n, I_n, E^{T_n} \\
E^D \vdash u_1 \overset{\sim}{\approx} t, \Sigma^{N_1} \quad \dots \quad E^D \vdash u_n \overset{\sim}{\approx} t, \Sigma^{N_n} \\
\hline
\langle E^T, E^D \rangle, \mathbf{list} \langle t \rangle \vdash [|\mathbf{exp}_1, \dots, \mathbf{exp}_n|] : \mathbf{list} \langle u \rangle \triangleright [|\mathbf{exp}'_1, \dots, \mathbf{exp}'_n|], \langle \Sigma^{N_1} \uplus \dots \uplus \Sigma^{N_n}, \mathbf{pure} \rangle \uplus I_1 \uplus \dots \uplus I_n, E^T \quad \text{CHECK_EXP_LIST}
\end{array}$$

$$\begin{array}{l}
E, \mathbf{bit} \vdash \mathit{exp}_1 : \mathbf{bit} \triangleright \mathit{exp}'_1, I_1, E^{T'} \\
E, t \vdash \mathit{exp}_2 : u_1 \triangleright \mathit{exp}'_2, I_2, E^{T_2} \\
E, t \vdash \mathit{exp}_3 : u_2 \triangleright \mathit{exp}'_3, I_3, E^{T_3} \\
E^{\mathbf{D}} \vdash u_1 \approx t, \Sigma^N_1 \\
E^{\mathbf{D}} \vdash u_2 \approx t, \Sigma^N_2
\end{array}$$

$$\frac{}{\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, t \vdash \mathbf{if} \mathit{exp}_1 \mathbf{then} \mathit{exp}_2 \mathbf{else} \mathit{exp}_3 : u \triangleright \mathbf{if} \mathit{exp}'_1 \mathbf{then} \mathit{exp}'_2 \mathbf{else} \mathit{exp}'_3, \langle \Sigma^N_1 \uplus \Sigma^N_2, \mathbf{pure} \rangle \uplus I_1 \uplus I_2 \uplus I_3, (E^{T_2} \cap E^{T_3})} \text{CHECK_EXP_IF}$$

$$\begin{array}{l}
\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{range} \langle \mathit{ne}_1 \mathit{ne}_2 \rangle \vdash \mathit{exp}_1 : \mathbf{range} \langle \mathit{ne}_7 \mathit{ne}_8 \rangle \triangleright \mathit{exp}'_1, I_1, E^{\mathbf{T}} \\
\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{range} \langle \mathit{ne}_3 \mathit{ne}_4 \rangle \vdash \mathit{exp}_2 : \mathbf{range} \langle \mathit{ne}_9 \mathit{ne}_{10} \rangle \triangleright \mathit{exp}'_2, I_2, E^{\mathbf{T}} \\
\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{range} \langle \mathit{ne}_5 \mathit{ne}_6 \rangle \vdash \mathit{exp}_3 : \mathbf{range} \langle \mathit{ne}_{11} \mathit{ne}_{12} \rangle \triangleright \mathit{exp}'_3, I_3, E^{\mathbf{T}} \\
\langle (E^{\mathbf{T}} \uplus \{ \mathit{id} \mapsto \mathbf{range} \langle \mathit{ne}_1 \mathit{ne}_4 \rangle \}), E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \mathit{exp}_4 : t \triangleright \mathit{exp}'_4, I_4, E^{T'}
\end{array}$$

$$\frac{}{\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \mathbf{foreach} (\mathit{id} \mathbf{from} \mathit{exp}_1 \mathbf{to} \mathit{exp}_2 \mathbf{by} \mathit{exp}_3) \mathit{exp}_4 : t \triangleright \mathbf{foreach} (\mathit{id} \mathbf{from} \mathit{exp}'_1 \mathbf{to} \mathit{exp}'_2 \mathbf{by} \mathit{exp}'_3) \mathit{exp}'_4, I_1 \uplus I_2 \uplus I_3 \uplus I_4 \uplus \langle \{ \mathit{ne}_1 \leq \mathit{ne}_3 + \mathit{ne}_4 \}, \mathbf{pure} \rangle, E^{\mathbf{T}}} \text{CHECK_EXP_RANGE}$$

$$\frac{
\begin{array}{l}
E, t \vdash \mathit{exp}_1 : u \triangleright \mathit{exp}'_1, I_1, E^{\mathbf{T}} \\
E, \mathbf{list} \langle t \rangle \vdash \mathit{exp}_2 : \mathbf{list} \langle u \rangle \triangleright \mathit{exp}'_2, I_2, E^{\mathbf{T}}
\end{array}
}{E, \mathbf{list} \langle t \rangle \vdash \mathit{exp}_1 :: \mathit{exp}_2 : \mathbf{list} \langle u \rangle \triangleright \mathit{exp}'_1 :: \mathit{exp}'_2, I_1 \uplus I_2, E^{\mathbf{T}}} \text{CHECK_EXP_CONS}$$

$$\frac{t \vdash \mathit{lit} : u \Rightarrow \mathit{exp}, \Sigma^N}{E, t \vdash \mathit{lit} : u \triangleright \mathit{exp}, \langle \Sigma^N, \mathbf{pure} \rangle, E^{\mathbf{T}}} \text{CHECK_EXP_LIT}$$

$$\frac{\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \mathit{exp} : \mathbf{unit} \triangleright \mathit{exp}', I, E^{T_1}}{\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \{ \mathit{exp} \} : \mathbf{unit} \triangleright \{ \mathit{exp}' \}, I, E^{\mathbf{T}}} \text{CHECK_EXP_BLOCKBASE}$$

$$\frac{
\begin{array}{l}
\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \mathit{exp} : \mathbf{unit} \triangleright \mathit{exp}', I_1, E^{T_1} \\
\langle (E^{\mathbf{T}} \uplus E^{T_1}), E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \{ \overline{\mathit{exp}_i}^i \} : \mathbf{unit} \triangleright \{ \overline{\mathit{exp}'_i}^i \}, I_2, E^{T_2}
\end{array}
}{\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \{ \mathit{exp}; \overline{\mathit{exp}_i}^i \} : \mathbf{unit} \triangleright \{ \mathit{exp}'; \overline{\mathit{exp}'_i}^i \}, I_1 \uplus I_2, E^{\mathbf{T}}} \text{CHECK_EXP_BLOCKREC}$$

$$\frac{\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \mathit{exp} : \mathbf{unit} \triangleright \mathit{exp}', I, E^{T_1}}{\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \mathbf{nondet} \{ \mathit{exp} \} : \mathbf{unit} \triangleright \{ \mathit{exp}' \}, I, E^{\mathbf{T}}} \text{CHECK_EXP_NONDETBASE}$$

$$\frac{
\begin{array}{l}
\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \mathit{exp} : \mathbf{unit} \triangleright \mathit{exp}', I_1, E^{T_1} \\
\langle (E^{\mathbf{T}} \uplus E^{T_1}), E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \mathbf{nondet} \{ \overline{\mathit{exp}_i}^i \} : \mathbf{unit} \triangleright \{ \overline{\mathit{exp}'_i}^i \}, I_2, E^{T_2}
\end{array}
}{\langle E^{\mathbf{T}}, E^{\mathbf{D}} \rangle, \mathbf{unit} \vdash \mathbf{nondet} \{ \mathit{exp}; \overline{\mathit{exp}_i}^i \} : \mathbf{unit} \triangleright \{ \mathit{exp}'; \overline{\mathit{exp}'_i}^i \}, I_1 \uplus I_2, E^{\mathbf{T}}} \text{CHECK_EXP_NONDETREC}$$

$$\frac{\begin{array}{l} E, t \vdash \text{exp} : u \triangleright \text{exp}', I_1, E^{\text{T}}_1 \\ E \vdash \text{lexp} : t \triangleright \text{lexp}', I_2, E^{\text{T}}_2 \end{array}}{E, \mathbf{unit} \vdash \text{lexp} := \text{exp} : \mathbf{unit} \triangleright \text{lexp}' := \text{exp}', I \uplus I_2, E^{\text{T}}_2} \quad \text{CHECK_EXP_ASSIGN}$$

$E \vdash \text{lexp} : t \triangleright \text{lexp}', I, E^{\text{T}}$

Check the left hand side of an assignment

$$\frac{E^{\text{T}}(id) \triangleright \mathbf{register} \langle t \rangle}{\langle E^{\text{T}}, E^{\text{D}} \rangle \vdash id : t \triangleright id, \langle \{ \}, \{ \mathbf{wreg} \} \rangle, E^{\text{T}}} \quad \text{CHECK_LEXP_WREG}$$

$$\frac{E^{\text{T}}(id) \triangleright \mathbf{reg} \langle t \rangle}{\langle E^{\text{T}}, E^{\text{D}} \rangle \vdash id : t \triangleright id, I_\epsilon, E^{\text{T}}} \quad \text{CHECK_LEXP_WLOCL}$$

$$\frac{E^{\text{T}}(id) \triangleright t}{\langle E^{\text{T}}, E^{\text{D}} \rangle \vdash id : t \triangleright id, I_\epsilon, E^{\text{T}}} \quad \text{CHECK_LEXP_VAR}$$

$$\frac{id \notin \mathbf{dom}(E^{\text{T}})}{\langle E^{\text{T}}, E^{\text{D}} \rangle \vdash id : t \triangleright id, I_\epsilon, \{ id \mapsto \mathbf{reg} \langle t \rangle \}} \quad \text{CHECK_LEXP_WNEW}$$

$$\frac{\begin{array}{l} E^{\text{T}}(id) \triangleright \mathbf{register} \langle t \rangle \\ E^{\text{D}} \vdash \text{typ} \rightsquigarrow u \\ E^{\text{D}} \vdash u \lesssim t, \Sigma^{\text{N}} \end{array}}{\langle E^{\text{T}}, E^{\text{D}} \rangle \vdash (\text{typ})id : t \triangleright id, \langle \Sigma^{\text{N}}, \{ \mathbf{wreg} \} \rangle, E^{\text{T}}} \quad \text{CHECK_LEXP_WREGCAST}$$

$$\frac{\begin{array}{l} E^{\text{T}}(id) \triangleright \mathbf{reg} \langle t \rangle \\ E^{\text{D}} \vdash \text{typ} \rightsquigarrow u \\ E^{\text{D}} \vdash u \lesssim t, \Sigma^{\text{N}} \end{array}}{\langle E^{\text{T}}, E^{\text{D}} \rangle \vdash (\text{typ})id : t \triangleright id, \langle \Sigma^{\text{N}}, \mathbf{pure} \rangle, E^{\text{T}}} \quad \text{CHECK_LEXP_WLOCLCAST}$$

$$\frac{\begin{array}{l} E^{\text{T}}(id) \triangleright t \\ E^{\text{D}} \vdash \text{typ} \rightsquigarrow u \\ E^{\text{D}} \vdash u \lesssim t, \Sigma^{\text{N}} \end{array}}{\langle E^{\text{T}}, E^{\text{D}} \rangle \vdash (\text{typ})id : t \triangleright id, \langle \Sigma^{\text{N}}, \mathbf{pure} \rangle, E^{\text{T}}} \quad \text{CHECK_LEXP_VARCAST}$$

$$\frac{\begin{array}{l} id \notin \mathbf{dom}(E^{\text{T}}) \\ E^{\text{D}} \vdash \text{typ} \rightsquigarrow t \end{array}}{\langle E^{\text{T}}, E^{\text{D}} \rangle \vdash (\text{typ})id : t \triangleright id, I_\epsilon, \{ id \mapsto \mathbf{reg} \langle t \rangle \}} \quad \text{CHECK_LEXP_WNEWCAST}$$

$$\frac{E^T(id) \triangleright E^K, \Sigma^N, \mathbf{Extern}, t_1 \rightarrow t \{ \overline{base_effect_i^i}, \mathbf{wmem}, \overline{base_effect_j^j} \}}{\langle E^T, E^D \rangle, t_1 \vdash exp : u_1 \triangleright exp', I, E^{T_1}} \quad \text{CHECK_LEXP_WMEM}$$

$$\frac{E, \mathbf{atom} \langle ne \rangle \vdash exp : u \triangleright exp', I_1, E^T \quad E \vdash lexp : \mathbf{vector} \langle ne_1 ne_2 \mathbf{inc} t \rangle \triangleright lexp', I_2, E^T}{E \vdash lexp[exp] : t \triangleright lexp'[exp'], I_1 \uplus I_2 \uplus \langle \{ ne_1 \leq ne, ne_1 + ne_2 \geq ne \}, \mathbf{pure} \rangle, E^T} \quad \text{CHECK_LEXP_WBITINC}$$

$$\frac{E, \mathbf{atom} \langle ne \rangle \vdash exp : u \triangleright exp', I_1, E^T \quad E \vdash lexp : \mathbf{vector} \langle ne_1 ne_2 \mathbf{dec} t \rangle \triangleright lexp', I_2, E^T}{E \vdash lexp[exp] : t \triangleright lexp'[exp'], I_1 \uplus I_2 \uplus \langle \{ ne \leq ne_1, ne_1 + (-ne_2) \leq ne \}, \mathbf{pure} \rangle, E^T} \quad \text{CHECK_LEXP_WBITDEC}$$

$$\frac{E, \mathbf{atom} \langle ne_1 \rangle \vdash exp_1 : u_1 \triangleright exp'_1, I_1, E^T \quad E, \mathbf{atom} \langle ne_2 \rangle \vdash exp_2 : u_2 \triangleright exp'_2, I_2, E^T \quad E \vdash lexp : \mathbf{vector} \langle ne_3 ne_4 \mathbf{inc} t \rangle \triangleright lexp', I_3, E^T}{E \vdash lexp[exp_1 : exp_2] : \mathbf{vector} \langle ne_1 ne_2 + (-ne_1) \mathbf{inc} t \rangle \triangleright lexp'[exp'_1 : exp'_2], I_1 \uplus I_2 \uplus I_3 \uplus \langle \{ ne_3 \leq ne_1, ne_3 + ne_4 \leq ne_2 + (-ne_1) \}, \mathbf{pure} \rangle, E^T} \quad \text{CHECK_LEXP_WSLICEINC}$$

$$\frac{E, \mathbf{atom} \langle ne_1 \rangle \vdash exp_1 : u_1 \triangleright exp'_1, I_1, E^T \quad E, \mathbf{atom} \langle ne_2 \rangle \vdash exp_2 : u_2 \triangleright exp'_2, I_2, E^T \quad E \vdash lexp : \mathbf{vector} \langle ne_3 ne_4 \mathbf{inc} t \rangle \triangleright lexp', I_3, E^T}{E \vdash lexp[exp_1 : exp_2] : \mathbf{vector} \langle ne_1 ne_2 + (-ne_1) \mathbf{inc} t \rangle \triangleright lexp'[exp'_1 : exp'_2], I_1 \uplus I_2 \uplus I_3 \uplus \langle \{ ne_1 \leq ne_3, ne_3 + (-ne_4) \leq ne_1 + (-ne_2) \}, \mathbf{pure} \rangle, E^T} \quad \text{CHECK_LEXP_WSLICEDEC}$$

$$\frac{E^R(x \langle t_args \rangle) \triangleright \overline{id_i^i} id : t \overline{id_j^j} : t_j^j \quad \langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle \vdash lexp : x \langle t_args \rangle \triangleright lexp', I, E^T}{\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle \vdash lexp.id : t \triangleright lexp'.id, I, E^T} \quad \text{CHECK_LEXP_WRECORD}$$

$E \vdash letbind \triangleright letbind', E^T, \Sigma^N, effect, E^K$ Build the environment for a let binding, collecting index constraints

$$\begin{aligned} & \langle E^K, E^A, E^R, E^E \rangle \vdash typschm \rightsquigarrow t, E^{K_2}, \Sigma^N \\ & \langle E^T, \langle E^K \uplus E^{K_2}, E^A, E^R, E^E \rangle \rangle, t \vdash pat : u \triangleright pat', E^{T_1}, \Sigma^{N_1} \\ & \langle E^T, \langle E^K \uplus E^{K_2}, E^A, E^R, E^E \rangle \rangle, t \vdash exp : u' \triangleright exp', \langle \Sigma^{N_2}, effect \rangle, E^{T_2} \\ & \langle E^K \uplus E^{K_2}, E^A, E^R, E^E \rangle \vdash u' \lesssim u, \Sigma^{N_3} \end{aligned}$$

$$\frac{\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle \vdash \mathbf{let} typschm pat = exp \triangleright \mathbf{let} typschm pat' = exp', E^{T_1}, \Sigma^N \uplus \Sigma^{N_1} \uplus \Sigma^{N_2} \uplus \Sigma^{N_3}, effect, E^{K_2}}{\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle \vdash \mathbf{let} pat = exp \triangleright \mathbf{let} pat' = exp', E^{T_1}, \Sigma^{N_1} \uplus \Sigma^{N_2}, effect, \{ \}} \quad \text{CHECK_LETBIND_VAL_ANNOT}$$

$$\frac{\langle E^T, E^D \rangle, t \vdash pat : u \triangleright pat', E^{T_1}, \Sigma^{N_1} \quad \langle (E^T \uplus E^{T_1}), E^D \rangle, u \vdash exp : u' \triangleright exp', \langle \Sigma^{N_2}, effect \rangle, E^{T_2}}{\langle E^T, E^D \rangle \vdash \mathbf{let} pat = exp \triangleright \mathbf{let} pat' = exp', E^{T_1}, \Sigma^{N_1} \uplus \Sigma^{N_2}, effect, \{ \}} \quad \text{CHECK_LETBIND_VAL_NOANNOT}$$

$E^D \vdash \text{type_def} \triangleright E$

Check a type definition

$$\frac{E^D \vdash \text{typschm} \rightsquigarrow t, E^K, \Sigma^N}{E^D \vdash \mathbf{typedef} \text{ id name_scm_opt} = \text{typschm} \triangleright \langle \{\}, \langle \{\}, \{id \mapsto E^K, \Sigma^N, \mathbf{None}, t\}, \{\}, \{\} \rangle \rangle} \text{CHECK_TD_ABBREV}$$

$$\frac{\begin{array}{l} E^D \vdash \text{typ}_1 \rightsquigarrow t_1 \quad \dots \quad E^D \vdash \text{typ}_n \rightsquigarrow t_n \\ E^R \equiv \{\{id_1 : t_1, \dots, id_n : t_n\} \mapsto x\} \end{array}}{E^D \vdash \mathbf{typedef} \text{ x name_scm_opt} = \mathbf{const struct} \{ \text{typ}_1 \text{ id}_1; \dots; \text{typ}_n \text{ id}_n; ? \} \triangleright \langle \{\}, \langle \{x \mapsto K_Typ\}, \{\}, E^R, \{\} \rangle \rangle} \text{CHECK_TD_UNQUANT_RECORD}$$

$$\begin{array}{l} \langle E^K, E^A, E^R, E^E \rangle \vdash \text{quant_item}_i \rightsquigarrow E^{K_i}, \Sigma^{N_i^i} \\ \langle E^K \uplus \overline{E^{K_i^i}}, E^A, E^R, E^E \rangle \vdash \text{typ}_1 \rightsquigarrow t_1 \quad \dots \quad \langle E^K \uplus \overline{E^{K_i^i}}, E^A, E^R, E^E \rangle \vdash \text{typ}_n \rightsquigarrow t_n \\ \{x'_1 \mapsto k_1, \dots, x'_m \mapsto k_m\} \equiv \uplus \overline{E^{K_i^i}} \\ E_1^R \equiv \{\{id_1 : t_1, \dots, id_n : t_n\} \mapsto \{x'_1 \mapsto k_1, \dots, x'_m \mapsto k_m\}, \uplus \overline{\Sigma^{N_i^i}}, \mathbf{None}, x \langle x'_1 \dots x'_m \rangle\} \\ E^{K'_1} \equiv \{x \mapsto K_Lam(k_1 \dots k_m \rightarrow K_Typ)\} \end{array}$$

$$\langle E^K, E^A, E^R, E^E \rangle \vdash \mathbf{typedef} \text{ x name_scm_opt} = \mathbf{const struct forall} \overline{\text{quant_item}_i^i} . \{ \text{typ}_1 \text{ id}_1; \dots; \text{typ}_n \text{ id}_n; ? \} \triangleright \langle \{\}, \langle E^{K'}, \{\}, E_1^R, \{\} \rangle \rangle \quad \text{CHECK_TD_QUANT_RECORD}$$

$$\begin{array}{l} E^T \equiv \{id_1 \mapsto \{\}, \{\}, \mathbf{Ctor}, t_1 \rightarrow x \text{ pure}, \dots, id_n \mapsto \{\}, \{\}, \mathbf{Ctor}, t_n \rightarrow x \text{ pure}\} \\ E^{K_1} \equiv \{x \mapsto K_Typ\} \\ \langle E^K \uplus E^{K_1}, E^A, E^R, E^E \rangle \vdash \text{typ}_1 \rightsquigarrow t_1 \quad \dots \quad \langle E^K \uplus E^{K_1}, E^A, E^R, E^E \rangle \vdash \text{typ}_n \rightsquigarrow t_n \end{array}$$

$$\langle E^K, E^A, E^R, E^E \rangle \vdash \mathbf{typedef} \text{ x name_scm_opt} = \mathbf{const union} \{ \text{typ}_1 \text{ id}_1; \dots; \text{typ}_n \text{ id}_n; ? \} \triangleright \langle E^T, \langle E^{K_1}, \{\}, \{\}, \{\} \rangle \rangle \quad \text{CHECK_TD_UNQUANT_UNION}$$

$$\begin{array}{l} \langle E^K, E^A, E^R, E^E \rangle \vdash \text{quant_item}_i \rightsquigarrow E^{K_i}, \Sigma^{N_i^i} \\ \{x'_1 \mapsto k_1, \dots, x'_m \mapsto k_m\} \equiv \uplus \overline{E^{K_i^i}} \\ E^{K'} \equiv \{x \mapsto K_Lam(k_1 \dots k_m \rightarrow K_Typ)\} \uplus \overline{E^{K_i^i}} \\ \langle E^K \uplus E^{K'}, E^A, E^R, E^E \rangle \vdash \text{typ}_1 \rightsquigarrow t_1 \quad \dots \quad \langle E^K \uplus E^{K'}, E^A, E^R, E^E \rangle \vdash \text{typ}_n \rightsquigarrow t_n \\ t \equiv x \langle x'_1 \dots x'_m \rangle \\ E^T \equiv \{id_1 \mapsto E^{K'}, \uplus \overline{\Sigma^{N_i^i}}, \mathbf{Ctor}, t_1 \rightarrow t \text{ pure}, \dots, id_n \mapsto E^{K'}, \uplus \overline{\Sigma^{N_i^i}}, \mathbf{Ctor}, t_n \rightarrow t \text{ pure}\} \end{array}$$

$$\langle E^K, E^A, E^R, E^E \rangle \vdash \mathbf{typedef} \text{ id name_scm_opt} = \mathbf{const union forall} \overline{\text{quant_item}_i^i} . \{ \text{typ}_1 \text{ id}_1; \dots; \text{typ}_n \text{ id}_n; ? \} \triangleright \langle E^T, \langle E^{K'}, \{\}, \{\}, \{\} \rangle \rangle \quad \text{CHECK_TD_QUANT_UNION}$$

$$\begin{array}{l} E^T \equiv \{id_1 \mapsto x, \dots, id_n \mapsto x\} \\ E^E \equiv \{x \mapsto \{num_1 \mapsto id_1 \dots num_n \mapsto id_n\}\} \end{array}$$

$$E^D \vdash \mathbf{typedef} \text{ x name_scm_opt} = \mathbf{enumerate} \{id_1; \dots; id_n; ?\} \triangleright \langle E^T, \langle \{id \mapsto K_Typ\}, \{\}, \{\}, E^E \rangle \rangle \quad \text{CHECK_TD_ENUMERATE}$$

 $E \vdash \text{fundef} \triangleright \text{fundef}', E^T, \Sigma^N$

Check a function definition

$$\begin{array}{l}
E^T(id) \triangleright E^{K'}, \Sigma^{N'}, \mathbf{Global}, t_1 \rightarrow t \text{ effect} \\
\hline
E^D \vdash \overline{\text{quant_item}_i} \rightsquigarrow E^{K_i}, \Sigma^{N_i}{}^i \\
\Sigma^{N''} \equiv \overline{\uplus \Sigma^{N_i}{}^i} \\
E^{K'} \equiv \overline{E^{K_i}{}^i} \\
E^{D_1} \equiv \langle E^{K'}, \{\}, \{\}, \{\} \rangle \uplus E^D \\
E^{D_1} \vdash \text{typ} \rightsquigarrow u \\
E^{D_1} \vdash u \lesssim t, \Sigma^{N_2} \\
\hline
\langle E^T, E^{D_1} \rangle, t_1 \vdash \text{pat}_j : u_j \triangleright \text{pat}'_j, E^{T_j}, \Sigma^{N''_j}{}^j \\
\hline
\langle (E^T \uplus E^{T_j}), E^{D_1} \rangle, u \vdash \text{exp}_j : u' \triangleright \text{exp}'_j, \langle \Sigma^{N''_j}, \text{effect}'_j \rangle, E^{T'_j}{}^j \\
\Sigma^{N''''} \equiv \Sigma^{N_2} \uplus \overline{\Sigma^{N''_j}} \uplus \overline{\Sigma^{N''_j}{}^j} \\
\text{effect} \equiv \overline{\uplus \text{effect}'_j}{}^j \\
\Sigma^N \equiv \mathbf{resolve} (\Sigma^{N'} \uplus \Sigma^{N''} \uplus \Sigma^{N''''})
\end{array}$$

$$\langle E^T, E^D \rangle \vdash \mathbf{function\ rec\ forall} \overline{\text{quant_item}_i}{}^i . \text{typ effect effect } \overline{id\ pat_j = \text{exp}_j}{}^j \triangleright \mathbf{function\ rec\ forall} \overline{\text{quant_item}_i}{}^i . \text{typ effect effect } \overline{id\ pat'_j = \text{exp}'_j}{}^j, E^T, \Sigma^N$$

CHECK_FD_REC

$$\begin{array}{l}
E^T(id) \triangleright E^{K'}, \Sigma^{N'}, \mathbf{Global}, t_1 \rightarrow t \text{ effect} \\
E^D \vdash \text{typ} \rightsquigarrow u \\
E^D \vdash u \lesssim t, \Sigma^{N_2} \\
\hline
\langle E^T, E^D \rangle, t_1 \vdash \text{pat}_j : u_j \triangleright \text{pat}'_j, E^{T_j}, \Sigma^{N''_j}{}^j \\
\hline
\langle (E^T \uplus E^{T_j}), E^D \rangle, u \vdash \text{exp}_j : u'_j \triangleright \text{exp}'_j, \langle \Sigma^{N''_j}, \text{effect}'_j \rangle, E^{T'_j}{}^j \\
\text{effect} \equiv \overline{\uplus \text{effect}'_j}{}^j \\
\Sigma^N \equiv \mathbf{resolve} (\Sigma^{N_2} \uplus \Sigma^{N'} \uplus \overline{\Sigma^{N''_j}} \uplus \overline{\Sigma^{N''_j}{}^j})
\end{array}$$

$$\langle E^T, E^D \rangle \vdash \mathbf{function\ rec\ typ\ effect\ effect} \overline{id\ pat_j = \text{exp}_j}{}^j \triangleright \mathbf{function\ rec\ typ\ effect\ effect} \overline{id\ pat'_j = \text{exp}'_j}{}^j, E^T, \Sigma^N$$

CHECK_FD_REC_FUNCTION2

$$\begin{array}{c}
\overline{\langle E^K, E^A, E^R, E^E \rangle \vdash \text{quant_item}_i \rightsquigarrow E^K_i, \Sigma^N_i} \\
\Sigma^{N'} \equiv \uplus \overline{\Sigma^N_i} \\
E^{K'} \equiv E^K \uplus \overline{E^K_i} \\
\langle E^{K'}, E^A, E^R, E^E \rangle \vdash \text{typ} \rightsquigarrow t \\
\overline{\langle E^T, \langle E^{K'}, E^A, E^R, E^E \rangle, t_1 \vdash \text{pat}_j : u_j \triangleright \text{pat}'_j, E^{T_j}, \Sigma^{N''_j} \rangle} \\
E^{T'} \equiv (E^T \uplus \{id \mapsto E^{K'}, \Sigma^{N'}, \mathbf{Global}, t_1 \rightarrow t \text{ effect}\}) \\
\overline{\langle (E^{T'} \uplus E^{T_j}), \langle E^{K'}, E^A, E^R, E^E \rangle, t \vdash \text{exp}_j : u'_j \triangleright \text{exp}'_j, \langle \Sigma^{N'''_j}, \text{effect}'_j \rangle, E^{T'_j} \rangle} \\
\text{effect} \equiv \uplus \overline{\text{effect}'_j} \\
\Sigma^N \equiv \mathbf{resolve} (\Sigma^{N'} \uplus \overline{\Sigma^{N''_j} \uplus \Sigma^{N'''_j}})
\end{array}$$

$$\overline{\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle \vdash \mathbf{function\ rec\ forall} \overline{\text{quant_item}_i}^i . \text{typ\ effect\ effect} \overline{id\ pat}_j = \overline{\text{exp}_j}^j \triangleright \mathbf{function\ rec\ forall} \overline{\text{quant_item}_i}^i . \text{typ\ effect\ effect} \overline{id\ pat}'_j = \overline{\text{exp}'_j}^j, E^{T'}, \Sigma^N}$$

$$\begin{array}{c}
E^D \vdash \text{typ} \rightsquigarrow t \\
\overline{\langle E^T, E^D \rangle, t_1 \vdash \text{pat}_j : u_j \triangleright \text{pat}'_j, E^{T_j}, \Sigma^{N''_j} \rangle} \\
E^{T'} \equiv (E^T \uplus \{id \mapsto \{\}, \{\}, \mathbf{Global}, t_1 \rightarrow t \text{ effect}\}) \\
\overline{\langle (E^{T'} \uplus E^{T_j}), E^D \rangle, t \vdash \text{exp}_j : u'_j \triangleright \text{exp}'_j, \langle \Sigma^{N''_j}, \text{effect}'_j \rangle, E^{T'_j} \rangle} \\
\text{effect} \equiv \uplus \overline{\text{effect}'_j} \\
\Sigma^N \equiv \mathbf{resolve} (\uplus \overline{\Sigma^{N''_j} \uplus \Sigma^{N'''_j}})
\end{array}$$

$$\overline{\langle E^T, E^D \rangle \vdash \mathbf{function\ rec\ typ\ effect\ effect} \overline{id\ pat}_j = \overline{\text{exp}_j}^j \triangleright \mathbf{function\ rec\ typ\ effect\ effect} \overline{id\ pat}'_j = \overline{\text{exp}'_j}^j, E^{T'}, \Sigma^N}$$

CHECK_FD_REC_FUNCTION_NO_SPEC2

$$\begin{array}{c}
E^T(id) \triangleright E^{K'}, \Sigma^{N'}, \mathbf{Global}, t_1 \rightarrow t \text{ effect} \\
\hline
\langle E^K, E^A, E^R, E^E \rangle \vdash \text{quant_item}_i \rightsquigarrow E^{K_i}, \Sigma^{N_i}{}^i \\
\Sigma^{N''} \equiv \overline{\uplus \Sigma^{N_i}{}^i} \\
E^{K''} \equiv \overline{E^{K_i}{}^i} \\
\langle E^{K''} \uplus E^K, E^A, E^R, E^E \rangle \vdash \text{typ} \rightsquigarrow u \\
\langle E^{K''} \uplus E^K, E^A, E^R, E^E \rangle \vdash u \lesssim t, \Sigma^{N_2} \\
\hline
\langle E^T, \langle E^K \uplus E^{K''}, E^A, E^R, E^E \rangle \rangle, t_1 \vdash \text{pat}_j : u_j \triangleright \text{pat}'_j, E^{T_j}, \Sigma^{N''_j}{}^j \\
\hline
\langle (E^T \setminus id \uplus E^{T_j}), \langle E^K \uplus E^{K''}, E^A, E^R, E^E \rangle \rangle, t \vdash \text{exp}_j : u'_j \triangleright \text{exp}'_j, \langle \Sigma^{N'''_j}, \text{effect}'_j \rangle, E^{T'_j}{}^j \\
\Sigma^{N''''} \equiv \overline{\uplus \Sigma^{N''_j}{}^j \uplus \Sigma^{N'''_j}{}^j} \\
\text{effect} \equiv \overline{\uplus \text{effect}'_j{}^j} \\
\Sigma^N \equiv \mathbf{resolve}(\Sigma^{N'} \uplus \Sigma^{N''} \uplus \Sigma^{N''''})
\end{array}$$

$$\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \rangle \vdash \mathbf{function\ forall} \overline{\text{quant_item}_i}{}^i . \text{typ effect effect id pat}_j = \text{exp}_j{}^j \triangleright \mathbf{function\ forall} \overline{\text{quant_item}_i}{}^i . \text{typ effect effect id pat}'_j = \text{exp}'_j{}^j, E^T, \Sigma^N$$

CHECK_FD_FUNCTION1

$$\begin{array}{c}
E^T(id) \triangleright \{ \}, \Sigma^{N_1}, \mathbf{Global}, t_1 \rightarrow t \text{ effect} \\
E^D \vdash \text{typ} \rightsquigarrow u \\
E^D \vdash u \lesssim t, \Sigma^{N_2} \\
\hline
\langle E^T, E^D \rangle, t_1 \vdash \text{pat}_j : u_j \triangleright \text{pat}_j, E^{T_j}, \Sigma^{N'_j}{}^j \\
\hline
\langle (E^T \setminus id \uplus E^{T_j}), E^D \rangle, u \vdash \text{exp}_j : u'_j \triangleright \text{exp}'_j, \langle \Sigma^{N''_j}, \text{effect}'_j \rangle, E^{T'_j}{}^j \\
\text{effect} \equiv \overline{\uplus \text{effect}'_j{}^j} \\
\Sigma^N \equiv \mathbf{resolve}(\Sigma^{N_1} \uplus \Sigma^{N_2} \uplus \overline{\Sigma^{N'_j}{}^j \uplus \Sigma^{N''_j}{}^j})
\end{array}$$

$$\langle E^T, E^D \rangle \vdash \mathbf{function\ typ\ effect\ effect\ id\ pat}_j = \text{exp}_j{}^j \triangleright \mathbf{function\ typ\ effect\ effect\ id\ pat}'_j = \text{exp}'_j{}^j, E^T, \Sigma^N$$

CHECK_FD_FUNCTION2

$$\begin{array}{c}
\overline{\langle E^K, E^A, E^R, E^E \rangle \vdash \text{quant_item}_i \rightsquigarrow E^{K_i}, \Sigma^{N_i^i}} \\
\Sigma^{N'} \equiv \uplus \overline{\Sigma^{N_i^i}} \\
E^{K''} \equiv E^K \uplus \overline{E^{K_i^i}} \\
\langle E^{K''}, E^A, E^R, E^E \rangle \vdash \text{typ} \rightsquigarrow t \\
\hline
\overline{\langle E^T, \langle E^{K''}, E^A, E^R, E^E \rangle, t_1 \vdash \text{pat}_j : u_j \triangleright \text{pat}_j, E^{T_j}, \Sigma^{N_j''^j} \rangle} \\
E^{T'} \equiv (E^T \uplus \{id \mapsto E^{K''}, \Sigma^{N'}, \mathbf{Global}, t_1 \rightarrow t \text{ effect}\}) \\
\hline
\overline{\langle (E^T \uplus E^{T_j}), \langle E^{K''}, E^A, E^R, E^E \rangle, t \vdash \text{exp}_j : u'_j \triangleright \text{exp}'_j, \langle \Sigma^{N_j''^j}, \text{effect}'_j \rangle, E^{T_j'} \rangle} \\
\text{effect} \equiv \uplus \overline{\text{effect}'_j} \\
\Sigma^N \equiv \mathbf{resolve} (\Sigma^{N'} \uplus \overline{\Sigma^{N_j''^j}})
\end{array}$$

$$\overline{\langle E^T, \langle E^K, E^A, E^R, E^E \rangle \vdash \mathbf{function\ forall} \overline{\text{quant_item}_i^i} . \text{typ effect effect id pat}_j = \text{exp}_j^j \triangleright \mathbf{function\ forall} \overline{\text{quant_item}_i^i} . \text{typ effect effect id pat}'_j = \text{exp}'_j^j, E^{T'}, \Sigma^N}$$

CHECK_L

$$\begin{array}{c}
E^D \vdash \text{typ} \rightsquigarrow t \\
\hline
\overline{\langle E^T, E^D \rangle, t_1 \vdash \text{pat}_j : u_j \triangleright \text{pat}'_j, E^{T_j}, \Sigma^{N_j''^j} \rangle} \\
E^{T'} \equiv (E^T \uplus \{id \mapsto \{\}, \Sigma^N, \mathbf{Global}, t_1 \rightarrow t \text{ effect}\}) \\
\hline
\overline{\langle (E^T \uplus E^{T_j}), E^D, t \vdash \text{exp}_j : u'_j \triangleright \text{exp}'_j, \langle \Sigma^{N_j''^j}, \text{effect}'_j \rangle, E^{T_j'} \rangle} \\
\text{effect} \equiv \uplus \overline{\text{effect}'_j} \\
\Sigma^N \equiv \mathbf{resolve} (\uplus \overline{\Sigma^{N_j''^j}})
\end{array}$$

CHECK_FD_FUNCTION_NO_SPEC2

$$\overline{\langle E^T, E^D \rangle \vdash \mathbf{function\ typ\ effect\ effect\ id\ pat}_j = \text{exp}_j^j \triangleright \mathbf{function\ typ\ effect\ effect\ id\ pat}'_j = \text{exp}'_j^j, E^{T'}, \Sigma^N}$$

$$\boxed{E \vdash \text{val_spec} \triangleright E^T}$$

Check a value specification

$$\overline{\langle E^T, E^D \rangle \vdash \mathbf{val\ typschr} id \triangleright \{id \mapsto E^{K_1}, \Sigma^N, \mathbf{Global}, t\}} \quad \text{CHECK_SPEC_VAL_SPEC}$$

$$\overline{\langle E^T, E^D \rangle \vdash \mathbf{val\ extern\ typschr} id = \text{string} \triangleright \{id \mapsto E^{K_1}, \Sigma^N, \mathbf{Extern}, t\}} \quad \text{CHECK_SPEC_EXTERN}$$

$$\boxed{E^D \vdash \text{default_spec} \triangleright E^T, E^{K_1}}$$

Check a default typing specification

$$\overline{\langle E^K, E^A, E^R, E^E \rangle \vdash \mathbf{default\ base_kind} 'x \triangleright \{\}, \{ 'x \mapsto k \mathbf{default} \}} \quad \text{CHECK_DEFAULT_KIND}$$

$$\frac{E^D \vdash \text{typschm} \rightsquigarrow t, E^{K_1}, \Sigma^N}{E^D \vdash \mathbf{default} \text{ typschm } id \triangleright \{id \mapsto E^{K_1}, \Sigma^N, \mathbf{Default}, t\}, \{ \}} \quad \text{CHECK_DEFAULT_TYP}$$

$E \vdash \text{def} \triangleright \text{def}', E'$ Check a definition

$$\frac{E^D \vdash \text{type_def} \triangleright E}{\langle E^T, E^D \rangle \vdash \text{type_def} \triangleright \text{type_def}, \langle E^T, E^D \rangle \uplus E} \quad \text{CHECK_DEF_TDEF}$$

$$\frac{E \vdash \text{fundef} \triangleright \text{fundef}', E^T, \Sigma^N}{E \vdash \text{fundef} \triangleright \text{fundef}', E \uplus \langle E^T, \epsilon \rangle} \quad \text{CHECK_DEF_FDEF}$$

$$\frac{E \vdash \text{letbind} \triangleright \text{letbind}', \{id_1 \mapsto t_1, \dots, id_n \mapsto t_n\}, \Sigma^N, \mathbf{pure}, E^K}{\Sigma_1^N \equiv \mathbf{resolve}(\Sigma^N)} \quad \text{CHECK_DEF_VDEF}$$

$$\frac{}{E \vdash \text{letbind} \triangleright \text{letbind}', E \uplus \langle \{id_1 \mapsto E^K, \Sigma^N, \mathbf{None}, t_1, \dots, id_n \mapsto E^K, \Sigma^N, \mathbf{None}, t_n\}, \epsilon \rangle}$$

$$\frac{E \vdash \text{val_spec} \triangleright E^T}{E \vdash \text{val_spec} \triangleright \text{val_spec}, E \uplus \langle E^T, \epsilon \rangle} \quad \text{CHECK_DEF_VSPEC}$$

$$\frac{E^D \vdash \text{default_spec} \triangleright E^{T_1}, E^{K_1}}{\langle E^T, E^D \rangle \vdash \text{default_spec} \triangleright \text{default_spec}, \langle (E^T \uplus E^{T_1}), E^D \uplus \langle E^{K_1}, \{ \}, \{ \}, \{ \} \rangle \rangle} \quad \text{CHECK_DEF_DEFAULT}$$

$$\frac{E^D \vdash \text{typ} \rightsquigarrow t}{\langle E^T, E^D \rangle \vdash \mathbf{register} \text{ typ } id \triangleright \mathbf{register} \text{ typ } id, \langle (E^T \uplus \{id \mapsto \mathbf{register} \langle t \rangle\}), E^D \rangle} \quad \text{CHECK_DEF_REGISTER}$$

$E \vdash \text{defs} \triangleright \text{defs}', E'$ Check definitions, potentially given default environment of built-in library

$$\frac{E \vdash \text{def} \triangleright \text{def}', E_1}{E \uplus E_1 \vdash \overline{\text{def}_i^i} \triangleright \overline{\text{def}'_i^i}, E_2} \quad \text{CHECK_DEFS_DEFS}$$

$$E \vdash \text{def} \overline{\text{def}_i^i} \triangleright \text{def}' \overline{\text{def}'_i^i}, E_2$$

6 Sail operational semantics **{TODO}**